

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/16/2015 Version: 1.0

TECHNICAL CONCEPTS

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: ACLEAN DEO MANDARIN ORANGE
Product code	: 3486195
SKU #	: FG401532
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: For professional use only Air care products Container fitted with a sealed spray attachment Odour agents
1.3. Details of the supplier of the sa	fety data sheet
Rubbermaid Commercial Products LLC 3124 Valley Avenue Winchester, VA 22601-2694 - USA T (540) 6678700 www.rubbermaidcommercial.com	
1.4. Emergency telephone number	
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063

# **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

### **GHS-US** classification

 Flam. Liq. 3
 H226

 Acute Tox. 4 (Oral)
 H302

 Skin Irrit. 2
 H315

 Eye Irrit. 2A
 H319

 Skin Sens. 1
 H317

 STOT SE 3
 H335

Full text of H-phrases: see section 16

### 2.2. Label elements

# **GHS-US** labelling

Hazard pictograms (GHS-US)

	· · · ·
	GHS02 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	<ul> <li>H226 - Flammable liquid and vapour</li> <li>H302 - Harmful if swallowed</li> <li>H315 - Causes skin irritation</li> <li>H317 - May cause an allergic skin reaction</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P280 - Wear protective gloves</li> <li>P301+P312 - If swallowed: Call a doctor if you feel unwell</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a doctor if you feel unwell</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention</li> </ul>

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Other hazards

#### No additional information available

# 2.4. Unknown acute toxicity (GHS US)

## Not applicable

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS No) 64-17-5	20 - 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Neodol 91-6		10 - 20	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332
CITRAL	(CAS No) 5392-40-5	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317

#### Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, take medical advice.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/injuries after inhalation	May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/injuries after skin contact	Causes skin irritation.
Symptoms/injuries after eye contact	Causes serious eye irritation.
Symptoms/injuries after ingestion	Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate medical a	ttention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard	Flammable liquid and vapour.
Explosion hazard	May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	Ires
6.1. Personal precautions, protective equi	pment and emergency procedures
General measures	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday	/, March 26, 2012 / Rules and Regulations
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	fy authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and persona	I protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources.
Incompatible products	: Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

8.1. Control paramet	ers		
ACLEAN DEO MANDARIN ORANGE			
ACGIH	Not applicable		
OSHA	Not applicable	Not applicable	
Alcohol (64-17-5)			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
Neodol 91-6	Neodol 91-6		
ACGIH	Not applicable	Not applicable	
OSHA	Not applicable	Not applicable	
CITRAL (5392-40-5)			
ACGIH	Not applicable		
OSHA	Not applicable		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use.
Respiratory protection	: None under normal use.
Other information	: Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Appearance	: colourless to slightly yellow.
Colour	: Colourless light yellow
Odour	: characteristic
Odour threshold	: No data available
рН	: 4,2 - 5,2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 90 °F (32°C)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: 0,962 - 0,982
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.		
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide. May release flammable gases.		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
ACLEAN DEO MANDARIN ORANGE	
ATE US (oral)	2000,000 mg/kg bodyweight
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060,000 mg/kg bodyweight
Neodol 91-6	
LD50 oral rat	200 - 2000 mg/kg
LD50 dermal rat	> 2000
LC50 inhalation rat (mg/l)	5 mg/l
ATE US (oral)	200,000 mg/kg bodyweight
ATE US (vapours)	5,000 mg/l/4h
ATE US (dust,mist)	5,000 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
	pH: 4,2 - 5,2
Serious eye damage/irritation	: Causes serious eye irritation.
, ,	pH: 4,2 - 5,2
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific larger organ loxicity (single exposure)	. May cause respiratory initiation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed.
Symptoms/injuries after inhalation	: May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
, .	

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l	
Neodol 91-6		
LC50 fish 1	1 - 10 mg/l	
CITRAL (5392-40-5)		
LC50 fish 1	4,1 mg/l	
EC50 other aquatic organisms 1	5 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	7 mg/l IC50 algea (72 h) mg/l	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday	
12.2. Persistence and degradability	
ACLEAN DEO MANDARIN ORANGE	
Persistence and degradability	Not established.
Alcohol (64-17-5)	
Persistence and degradability	Not established.
42.2 Disconstructive notantial	
12.3. Bioaccumulative potential	
ACLEAN DEO MANDARIN ORANGE	Net astablished
Bioaccumulative potential	Not established.
Alcohol (64-17-5)	Not established.
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on ozone layer	: None to our knowledge
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1170 Ethanol solutions, 3, III
UN-No.(DOT)	: UN1170
Proper Shipping Name (DOT)	: Ethanol solutions
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	<ul> <li>24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III.</li> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk percent are precised as f172 244 of this publication are precised as f172 244 of this publication.</li> </ul>
	<ul> <li>bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)
Packing group (ADR)	: III
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
Drange plates	<sup>3</sup> 30 1170
Tunnel restriction code (ADR)	: D/E
_Q	: 51
Excepted quantities (ADR)	: E1
Transport by sea	
JN-No. (IMDG)	: 1170
Proper Shipping Name (IMDG)	: ETHANOL (ETHYL ALCOHOL)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
JN-No. (IATA)	: 1170
Proper Shipping Name (IATA)	: Ethanol solution
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
	, , , , , , , , , , , , , , , , , , ,
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Alcohol (64-17-5)	12
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CITRAL (5392-40-5)	
Not listed on the United States SARA Section 3	

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

CANADA

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **EU-Regulations**

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] 15.2.2. National regulations

15.3. US State regulations

### Alcohol (64-17-5)

U.S. -New York - RTK list Hazardous Substances

# **SECTION 16: Other information**

Other information

: None.

Full text of H-phrases:

Acute toxicity (inhalation:dust,mist) Category 4
Acute toxicity (oral), Category 4
Serious eye damage/eye irritation, Category 2A
Flammable liquids, Category 2
Flammable liquids, Category 3
Skin corrosion/irritation, Category 2
Sensitisation — Skin, category 1
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
Highly flammable liquid and vapour
Flammable liquid and vapour
Harmful if swallowed
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Harmful if inhaled
May cause respiratory irritation

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product