

Safety Data Sheet

Commercial Products

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/11/2015 Revision date: 10/01/2019 Version: 2.0

SECTION 1: Identification	
1.1. Identification	
Product name	: CINNAMON SPICE MB3000
Product code	: 1830284
SKU #	: FG401689
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: Aerosol For professional use only Air care products Odour agents
Recommended use	: Air care products,Odour agents
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
1.3. Supplier	

. **.** . -+

3124 Vall Winchest T 1.800.3	aid Commercial Products LLC ey Avenue er, VA 22601-2694 - USA		Other Rubbermaid Commercial Products LLC 20 Hereford Street Brampton, ON L6Y 0M1 - Canada T 1.800.998.7004
1.4.	Emergency telephone number		
Emorgon	av number	· 24 Hour Emorgonov	NECTRAC: 1 900 525 5052 (Domostic)

Emergency number

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

SECTION 2: Hazard(s)	identification	
2.1. Classification of t	he substance or mixture	
GHS-US classification		
Flammable aerosols, Category 1	H222	Extremely flammable aerosol.
Gases under pressure : Compressed gas	H280	Contains gas under pressure; may explode if heated.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Skin sensitisation, Category	H317	May cause an allergic skin reaction.
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16

GHS Label elements, including precautionary statements 2.2.

GHS US labelling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)



- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation. H335 - May cause respiratory irritation.
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing vapours, spray, mist.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a doctor if you feel unwell.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P363 - Wash contaminated clothing before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	20 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
EUGENOL	(CAS-No.) 97-53-0	0.1 – 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
a-METHYLCINNAMALDEHYDE	(CAS-No.) 101-39-3	0.1 – 1	Skin Sens. 1, H317
CINNAMYL ALCOHOL	(CAS-No.) 104-54-1	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
DIHYDROEUGENOL	(CAS-No.) 2785-87-7	0.1 – 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	 Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Wash with plenty of water/ Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	ts (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Immediate medical attention and sp	ecial treatment, if necessary
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media :	Do not use a heavy water stream.	
5.2. Specific hazards arising from the chem	nical	
Fire hazard :	Extremely flammable aerosol.	
Explosion hazard :	May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.	
Reactivity :	Stable under normal conditions of use.	
5.3. Special protective equipment and pred	autions for fire-fighters	
Firefighting instructions :	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.	
Protection during firefighting :	Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release measu	res	
6.1. Personal precautions, protective equip		
	No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel		
	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment :	Equip cleanup crew with proper protection.	
Emergency procedures :	Ventilate area.	
6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a	uthorities if liquid enters sewers or public waters.	
6.3. Methods and material for containment	and cleaning up	
Methods for cleaning up :	Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and personal pro	otection.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed :	Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.	
Precautions for safe handling :	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.	
Hygiene measures :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including	any incompatibilities	
Technical measures :	Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.	
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.	
	Strong bases. Strong acids.	
Incompatible materials :	Sources of ignition. Direct sunlight. Heat sources.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUGENOL (97-53-0)			
DNEL	DNEL DNEL 36 mg/m ³		
Alcohol (64-17-5)			
DNEL	DNEL	950 mg/m ³	
ACGIH	Local name	Ethanol	
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
HEXYLENE GLYCOL (107-41	HEXYLENE GLYCOL (107-41-5)		
DNEL	DNEL	14 mg/m ³	
ACGIH	Local name	Hexylene glycol	
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)	
ACGIH	ACGIH STEL (mg/m³)	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)	
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)	
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr	
ACGIH	Regulatory reference	ACGIH 2019	
a-METHYLCINNAMALDEHYI	DE (101-39-3)		
Not applicable			
CINNAMYL ALCOHOL (104-	54-1)		
DNEL	DNEL	2.27733 mg/m ³	
DIHYDROEUGENOL (2785-8	7-7)		
Not applicable			

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on b	asic physical and chemical properties	
Physical state	: Liquid	
Appearance	: clear. Transparent.	
06/15/2020	EN (English)	4/0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	: colourless to slightly yellow
	: characteristic
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 4.5 – 5.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: 1.8 – 19 vol %
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	
No additional information available	

SECTION 10: Stabilit	v and reactivity	
	, and i calcultury	

10.1. Reactivity

Stable under normal conditions of use.

10.2. **Chemical stability**

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

Conditions to avoid 10.4.

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

Incompatible materials 10.5.

Oxidizing agent. Strong acids. Strong bases.

Hazardous decomposition products 10.6.

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity

: Not classified

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight
CINNAMYL ALCOHOL (104-54-1)	
ATE US (oral)	500 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
06/15/2020	EN (English) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
EUGENOL (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Appiration borord	: Not classified
Aspiration hazard	. Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

5.6 mg/l
1.9 mg/l waterflea
15.4 mg/l
13000 mg/l
9300 mg/l
5012 mg/l waterflea
275 mg/l
8690 mg/l
5410 mg/l waterflea
> 429 mg/l

EC50 other aquatic organisms 2	> 429 mg/l	
CINNAMYL ALCOHOL (104-54-1)		
EC50 other aquatic organisms 1	> 10 mg/l waterflea	
12.2. Persistence and degradability		
CINNAMON SPICE MB3000		
Persistence and degradability	Not established.	
Alcohol (64-17-5)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential		
CINNAMON SPICE MB3000		
Bioaccumulative potential	Not established.	
EUGENOL (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	2.27	

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
Alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Bioaccumulative potential	Not established.
HEXYLENE GLYCOL (107-41-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.1
CINNAMYL ALCOHOL (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.95
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on the ozone layer	: None to our knowledge
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ns .
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	 Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14. Transport information	
SECTION 14: Transport information	
Department of Transportation (DOT)	
• • • • •	
n accordance with DOT	: UN1950 Aerosols, 2.1
n accordance with DOT Fransport document description	: UN1950 Aerosols, 2.1 : UN1950
n accordance with DOT Fransport document description JN-No.(DOT)	
n accordance with DOT Fransport document description	: UN1950

:	2.1 - Flammable gas	\$
---	---------------------	----



	•
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	

Not applicable

Hazard labels (DOT)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

Class (IATA)

Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Limited quantities (IMDG)	: SP277
Air transport	
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
UN-No. (IATA)	: 1950

Proper Shipping Name (IATA) :	Aerosols, flammable
-------------------------------	---------------------

: 2

SECTION 15: Regulatory information

15.1. US Federal regulations

EUGENOL (97-53-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Alcohol (64-17-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYLENE GLYCOL (107-41-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
a-METHYLCINNAMALDEHYDE (101-39-3)
Not subject to reporting requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
CINNAMYL ALCOHOL (104-54-1)
Not subject to reporting requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
DIHYDROEUGENOL (2785-87-7)
Not subject to reporting requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations
CANADA
EUGENOL (97-53-0)
Listed on the Canadian DSL (Domestic Substances List)
Alcohol (64-17-5)
Listed on the Canadian DSL (Domestic Substances List)
HEXYLENE GLYCOL (107-41-5)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National	regulations	
itationa	rogalationic	

Alcohol (64-17-5)	

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)

U.S Pennsylvania - RTK ((Right to Know) List
--------------------------	----------------------

HEXYLENE GLYCOL (107-41-5)

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information	
Revision date	: 10/01/2019
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained

considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H280	Contains gas under pressure; may explode if heated.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	

Indication of changes:

Section	Changed item	Change	Comments
	Precautionary statements (GHS US)	Modified	
	Hazard pictograms (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
	Revision date	Added	
2.1	GHS-US classification	Modified	

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.