

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/25/2015 Revision date: 01/13/2020 Version: 2.0

**Commercial Products** 

	N 1: Identification	
Product nar		: VANILLA ROYALE MB9000
Product cod	le	: 1830281
SKU #		: FG401694
1.2. R	ecommended use and restrictions	on use
Use of the s	substance/mixture	: Aerosol For professional use only Air care products Odour agents
Recommen	ded use	: Air care products,Odour agents
Restrictions	on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
1.3. S	upplier	

### Manufacturer

3124 Val Winches T 1.800.3	<b>Sturer</b> naid Commercial Products LLC lley Avenue ter, VA 22601-2694 - USA 347.9800 <u>sbermaidcommercial.com</u>	Other Rubbermaid Commercial Products LLC 20 Hereford Street Brampton, ON L6Y 0M1 - Canada T 1.800.998.7004
1.4.	Emergency telephone number	
<b>F</b>	and a maker	NECTRAC: 1 900 525 5052 (Domostic)

Emergency number

OTION

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

SECTION 2: Hazard(s	b) identification	
2.1. Classification of t	the substance or mixture	
GHS-US classification		
Flammable aerosols, Category 1	H222	Extremely flammable aerosol.
Gases under pressure : Liquefied gas	H280	Contains gas under pressure; may explode if heated.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16

2.2.	GHS Label	elements,	including	precautional	y statements

GHS US labelling		
Hazard pictograms (GHS US)		

Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	<ul> <li>H222 - Extremely flammable aerosol.</li> <li>H280 - Contains gas under pressure; may explode if heated.</li> <li>H315 - Causes skin irritation.</li> <li>H319 - Causes serious eye irritation.</li> <li>H335 - May cause respiratory irritation.</li> </ul>
Precautionary statements (GHS US)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 - Do not spray on an open flame or other ignition source.</li> <li>P251 - Do not pierce or burn, even after use.</li> <li>P261 - Avoid breathing vapours, spray, mist.</li> </ul>

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a doctor if you feel unwell.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	20 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
VANILLIN	(CAS-No.) 121-33-5	1 – 10	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Wash contaminated clothing before reuse. If skin irritation occurs: Wash skin with plenty of water. Get medical advice/attention. Rinse skin with water/shower.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Obtain medical attention if pain, blinking or redness persists. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	s (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chemical				
	Extremely flammable aerosol.			
	Extremely hammable aerosol. May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed			
	containers, spreading fire and increasing risk of burns and injuries.			
Reactivity :	Stable under normal conditions of use.			
5.3. Special protective equipment and prec	autions for fire-fighters			
Firefighting instructions :	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.			
Protection during firefighting :	Do not enter fire area without proper protective equipment, including respiratory protection.			
SECTION 6: Accidental release measu	res			
6.1. Personal precautions, protective equip	ment and emergency procedures			
General measures :	No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.			
6.1.1. For non-emergency personnel				
Emergency procedures :	Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
0 7 1	Equip cleanup crew with proper protection.			
	Ventilate area.			
6.2. Environmental precautions	therities if liquid enters course or public waters			
Prevent entry to sewers and public waters. Notify at				
6.3. Methods and material for containment	and cleaning up			
Methods for cleaning up :	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.			
6.4. Reference to other sections				
See Heading 8. Exposure controls and personal pro	otection.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed :	Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.			
Precautions for safe handling :	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area.			
Hygiene measures :	Wash hands thoroughly after handling.			
7.2. Conditions for safe storage, including any incompatibilities				
Technical measures :	Proper grounding procedures to avoid static electricity should be followed.			
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking, Do not expose to temperatures exceeding 50 °C/ 122 °F. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed.			
Incompatible products :	Strong bases. Strong acids.			
Incompatible materials :	Sources of ignition. Direct sunlight. Heat sources.			
Storage area :	Store in a well-ventilated place.			

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Alcohol (64-17-5)		
DNEL	DNEL	950 mg/m³
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)			
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
HEXYLENE GLYCOL (107-41-5)			
DNEL	DNEL	14 mg/m <sup>3</sup>	
ACGIH	Local name	Hexylene glycol	
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)	
ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (I - Inhalable particulate matter, H - Aerosol only)	
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)	
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr	
ACGIH	Regulatory reference	ACGIH 2019	
VANILLIN (121-33-5)			
Not applicable	Not applicable		

# 8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

# 8.3. Individual protection measures/Personal protective equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves.

### Eye protection:

None under normal use. Chemical goggles or safety glasses

# Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

None under normal use. Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Clear Transparent Liquid.	
	: colourless to slightly yellow	
	: characteristic	
Odour threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol. Non flammable. Extremely flammable aerosol.
Vapour pressure	: 4.5 – 5.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: 1.8 – 19 vol %
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

# 10.3. Possibility of hazardous reactions

Not established.

Acute toxicity

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

 $\label{eq:main_state} May \ release \ flammable \ gases. \ fume. \ Carbon \ monoxide. \ Carbon \ dioxide.$ 

# **SECTION 11: Toxicological information**

11.1.	Information on toxicological effects

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met

: Not classified

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

# **SECTION 12: Ecological information**

12.1. Toxicity		
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	8690 mg/l	
EC50 other aquatic organisms 1	5410 mg/l waterflea	
EC50 other aquatic organisms 2	> 429 mg/l	

#### 12.2. Persistence and degradability VANILLA ROYALE MB9000 Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established.

#### 12.3. **Bioaccumulative potential**

VANILLA ROYALE MB9000		
Not established.		
Alcohol (64-17-5)		
-0.32		
Not established.		
HEXYLENE GLYCOL (107-41-5)		
-0.1		

#### 12.4. Mobility in soil

No additional information available

12.5.	Other adverse effects	
Effect on	the ozone layer	: None to our knowledge

Other information

: Avoid release to the environment.

<b>SECTION 13: Disposal consideration</b>	15	
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.	
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.	
Ecology - waste materials	: Avoid release to the environment.	
06/15/2020	EN (English)	6/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 14: Transport information

Department	of Transportat	tion (DOT)

In accordance with DOT

Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
	PLANMARE GAS
DOT Packaging Non Bulk (49 CFR 17	3.xxx) : None
DOT Packaging Bulk (49 CFR 173.xx)	() : None
DOT Special Provisions (49 CFR 172.	102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 2	173.xxx) : 306
DOT Quantity Limitations Passenger a (49 CFR 173.27)	aircraft/rail : 75 kg
DOT Quantity Limitations Cargo aircra CFR 175.75)	ft only (49 : 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	: No supplementary information available.
Transportation of Dangerous Good	S
Not applicable	
Transport by sea	
Transport document description (IMD0	G) : UN 1950 AEROSOLS, 2.1
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Limited quantities (IMDG)	: SP277
Air transport	
Transport document description (IATA	) : UN 1950 Aerosols, flammable, 2.1
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2

SECTION	l 15: Req	ulatory	informatior

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)		
Listed on the Canadian DSL (Domestic Substances List)		
HEXYLENE GLYCOL (107-41-5)		
Listed on the Canadian DSL (Domestic Substances List)		
VANILLIN (121-33-5)		
Listed on the Canadian DSL (Domestic Substances List)		

#### **EU-Regulations**

No additional information available

# **National regulations**

Alcohol (64-17-5)	
Listed on IARC (International Agency for Research on Cancer)	

# 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

# Alcohol (64-17-5)

U.S. - Pennsylvania - RTK (Right to Know) List

# HEXYLENE GLYCOL (107-41-5) U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information	
Revision date	: 01/13/2020

rtevision date				
Other information				

: None.

### Full text of H-statements:

H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H280	Contains gas under pressure; may explode if heated.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	

### Indication of changes:

Section	Changed item	Change	Comments
	Precautionary statements (GHS US)	Modified	
	Revision date	Added	
	Hazard pictograms (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
2.1	GHS-US classification	Modified	

SDS\_US\_GHS\_HazCom\_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.