

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/21/2015 Revision date: 10/01/2019 Version: 2.0

Commercial Products

SECTION 1: Identification			
1.1. Identification			
Product name	: CINNAMON SPICE STD AEROSOL		
Product code	: 1821660		
SKU #	: FG400696		
1.2. Recommended use and restrictions on use			
Use of the substance/	nixture : Aerosol Air care products Odour agents For professional use only		
Recommended use	: Air care products, Odour agents		
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)		
1.3. Supplier			
Manufacturer Rubbermaid Commere	ial Products LLC Other Rubbermaid Commercial Products LLC		

	Other
Rubbermaid Commercial Products LLC	Rubbermaid Commercial Products L
3124 Valley Avenue	20 Hereford Street
Winchester, VA 22601-2694 - USA	Brampton, ON L6Y 0M1 - Canada
T 1.800.347.9800	T 1.800.998.7004
www.rubbermaidcommercial.com	
1.4 Emergency telephone number	

Emergency number

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

SECTION 2: Hazard(s) identification					
2.1. Classification of t	2.1. Classification of the substance or mixture				
GHS-US classification	GHS-US classification				
Flammable aerosols, Category 1	H222	Extremely flammable aerosol.			
Gases under pressure : Compressed gas	H280	Contains gas under pressure; may explode if heated.			
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.			
Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.			
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336	May cause drowsiness or dizziness.			

Full text of H statements : see section 16

2.2. GHS Label elements, including GHS US labelling	g precautionary statements
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 H222 - Extremely flammable aerosol. H280 - Contains gas under pressure; may explode if heated. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.
Precautionary statements (GHS US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours, spray, mist. P264 - Wash hands thoroughly after handling.
06/16/2020	EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a doctor if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention. P363 - Wash contaminated clothing before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P410+P403 - Protect from sunlight. Store in a well-ventilated place. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Acetone	(CAS-No.) 67-64-1	≥ 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	1 – 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
EUGENOL	(CAS-No.) 97-53-0	0.1 – 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
a-METHYLCINNAMALDEHYDE	(CAS-No.) 101-39-3	0.1 – 1	Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	 Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. 	
First-aid measures after skin contact	Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/ Wash contaminated clothing before reuse.	
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effe	ects (acute and delayed)	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.	
Symptoms/effects after skin contact	: Causes skin irritation.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
4.3. Immediate medical attention and special treatment, if necessary		

No additional information available

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishi	ng media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2.	5.2. Specific hazards arising from the chemical			
Fire hazard		Extremely flammable aerosol.		
Explosion hazard		May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.		
Reactivity		: Stable under normal conditions of use.		
5.3.	Special protective equipment and pro	cautions for fire-fighters		
Firefighti	ng instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.		
Protectio	n during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.		
SECTI	ON 6: Accidental release meas	ures		
6.1.	Personal precautions, protective equ	ipment and emergency procedures		
General	measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.		
6.1.1.	For non-emergency personnel			
Emerger	cy procedures	: Evacuate unnecessary personnel.		
6.1.2.	For emergency responders			
Protectiv	e equipment	: Equip cleanup crew with proper protection.		
Emerger	cy procedures	: Ventilate area.		
6.2.	Environmental precautions			
Prevent	entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.		
6.3.	Methods and material for containment	t and cleaning up		
Methods	for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
6.4.	Reference to other sections			
See Hea	ding 8. Exposure controls and personal p	rotection.		
SECTI	ON 7: Handling and storage			
7.1.	Precautions for safe handling			
Additiona	al hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.		
Precautions for safe handling		No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area.		
Hygiene	measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2.	7.2. Conditions for safe storage, including any incompatibilities			
Technica	Il measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.		
Storage	conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.		
Incompa	tible products	: Strong bases. Strong acids.		
Incompatible materials		: Sources of ignition. Direct sunlight. Heat sources.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

HEXYLENE GLYCOL (107-41-5)		
DNEL	DNEL 14 mg/m ³	
ACGIH	Local name	Hexylene glycol
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXYLENE GLYCOL (107-41-5)			
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)	
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)	
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr	
ACGIH	Regulatory reference	ACGIH 2019	
Acetone (67-64-1)			
DNEL	DNEL	2110 mg/m ³	
ACGIH	Local name	Acetone	
ACGIH	ACGIH TWA (ppm)	250 ppm	
ACGIH	ACGIH STEL (ppm)	500 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m³)	2400 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
EUGENOL (97-53-0)			
DNEL	DNEL	36 mg/m ³	
a-METHYLCINNAMALDEHYDE (101-39-3)			
Not applicable			

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic	physical and chemical properties	
Physical state	: Liquid	
Appearance	: Clear Transparent Liquid.	
	: colourless to slightly yellow	
	: characteristic	
Odour threshold	: No data available	
pН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 4.5 – 5.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: 1.8 – 19 vol %
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

, ,		
SECTION 11: Toxicological info	ormation	
11.1. Information on toxicological e	effects	
Acute toxicity	: Not classified	
Acetone (67-64-1)		
ATE US (dust,mist)	50100 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
EUGENOL (97-53-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
STOT-single exposure	: May cause drowsiness or dizziness.	
06/16/2020	EN (English)	5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

HEXYLENE GLYCOL (107-41-5)	
LC50 fish 1	8690 mg/l
EC50 other aquatic organisms 1	5410 mg/l waterflea
EC50 other aquatic organisms 2	> 429 mg/l
Acetone (67-64-1)	
LC50 fish 1	5540 mg/l
EC50 other aquatic organisms 1	12600 mg/l waterflea
EC50 other aquatic organisms 2	3400 mg/l
EUGENOL (97-53-0)	
LC50 fish 1	5.6 mg/l
EC50 other aquatic organisms 1	1.9 mg/l waterflea
EC50 other aquatic organisms 2	15.4 mg/l

12.2. Persistence and degradability

CINNAMON SPICE STD AEROSOL	
Persistence and degradability	Not established.
Acetone (67-64-1)	
Persistence and degradability	Not established.

12.3.	Bioaccumulative potential	

CINNAMON SPICE STD AEROSOL		
Bioaccumulative potential	Not established.	
HEXYLENE GLYCOL (107-41-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.1	
Acetone (67-64-1)		
Partition coefficient n-octanol/water (Log Pow)	-0.24	
Bioaccumulative potential	Not established.	
EUGENOL (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	2.27	

12.4. Mobility in soil

No additional information available

12.5.	Other adverse effects	
Effect on	the ozone layer	: None to our knowledge
Other inf	ormation	: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
	PLANAELE GAS
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Limited quantities (IMDG)	: SP277
Air transport	
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2

SECTION 15: Regulatory information	
15.1. US Federal regulations	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXYLENE GLYCOL (107-41-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Acetone (67-64-1)
Subject to reporting requirements of United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
EUGENOL (97-53-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
a-METHYLCINNAMALDEHYDE (101-39-3)
Not subject to reporting requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

HEXYLENE GLYCOL (107-41-5)

Listed on the Canadian DSL (Domestic Substances List)

EUGENOL (97-53-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

HEXYLENE GLYCOL (107-41-5)

U.S. - Pennsylvania - RTK (Right to Know) List

Acetone (67-64-1)

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information	
Revision date	: 10/01/2019
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H280	Contains gas under pressure; may explode if heated.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H330 May cause drowsiness or dizzmess.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Indication of changes:						
Section	Changed item	Change	Comments			
	Precautionary statements (GHS US)	Modified				
	Revision date	Added				
	Hazard pictograms (GHS US)	Modified				
	Hazard statements (GHS US)	Modified				
2.1	GHS-US classification	Modified				

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.