

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 01/13/2015 Revision date: 04/08/2020 Version: 2.0

Commercial Products

Product name:CCELL TOPICAL SUNRISEProduct code:19830Product code:19830Product code:F640247212.Recommended use and restrictions on use.Proprofessional use only arcate products Odour agents.Recommended use::Proprofessional use only arcate products Odour agents.Restrictions on use::Restrictions on use::Proprofessional use only arcate products ILC:Supplier:OtherRubermad Commercial Products LLC:Rubermad Commercial Products LLC:Rube	SECTION 1: Identification	
Product code : 108230 SKU ± : FG402472 Sku ± : FG402472 Jase of the substance/mixture : Odour agents For professional uses enty Air care products : Steammended use : : Order agents For arisementy : Status in the substance/mixture : Professional uses enty Air care products : Status in the substance/mixture : Professional uses enty Air care products US : Status in the substance/mixture : Professional uses enty Air care products US : Status in the substance on number intergency number : ? Professional US Status intergency interpoint intergency inter	1.1. Identification	
SiU # : FG402472 12. Recommended use and restrictions on use : Odour agents For professional use only Air care products. Odour agents craftsmen) Recommended use : Air care products. Odour agents craftsmen) Recommended use : Air care products. Odour agents craftsmen) Recommended use : Air care products. Odour agents craftsmen) Suppler And At a Boone	Product name	: TCELL TROPICAL SUNRISE
12. Recommended use and restrictions on use See of the substance/mixture : Obour agents Recommended use :: Air care products/Obour agents Recommended use :: Air care products/Obour agents Recommended use :: Air care products/Obour agents Supplier Supplier Manufacturer Rubermail Commercial Products LLC Undermail Commercial Products LLC Commercial Products Product Products LLC Commercial Products LLC Commerci	Product code	: 108230
Jae of the substance/mixture : Odour agents Propriodessional use only Ar care products Afr care products Afr care products Afr care products Afr care products of a settictions on use : Professional uses : Public domain (administration, education, entertainment, services, craftsmen) 3.3 Suppler Anual Commercial Products LLC T24 Valey Area 2004 - USA T1 800 3497 VA000 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA000 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Street Brampton, CN LLY 7001 - Canada T1 800 3497 VA00 Vator 200 Herdrod Vator	SKU #	: FG402472
Recommended use : Air care products Recommended use : Air care products Restrictions on use : Professional uses: Public domain (administration, education, entertainment, services, caretament) IS Supplier Manufacturer Rubbermaid Commercial Products LLC 20 Hereford Street 1740 Name Rubbermaid Commercial Products LLC 20 Hereford Street 1740 Name Bin sphon On OLL '10M1 - Canada T 1.800.398.7004 1741 Name : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) 1-352-323-3500 (International) Statistication of the substance or mixture Statistication 214 Classification of the substance or mixture Statistication. 214 Statistication Harradia Statements Statistatements <t< td=""><td>1.2. Recommended use and restric</td><td>tions on use</td></t<>	1.2. Recommended use and restric	tions on use
Restrictions on use : Professional uses: Public domain (administration, education, entertainment, services, craftsmen) I.3. Suppler Manufacturer Nubbermaid Commercial Products LLC 20 Hersford Streen Branpton, ON LBY (M1 - Canada T 1.800-986.7004 Manufacturer Strengency telephone number Energency telephone number I.4. Energency telephone number Energency number : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) 1-352-323-3500 (International) SECTION 2: Hazard(s) Identification Stammable liquids, H27 Sensentiation, Catagory H317 May causes an allergic skin reaction. 'util tot d1 Hataments: see section 16 22. GHS Label elements, including precautionary statements Stabeling tarazd pictograms (GHS US) : H227 · Combustible liquid .H315 · Causes skin irritation. : Utot d1 Hataments: see section 16 23. GHS Label elements, including precautionary statements Stapal word (GHS US) : H227 · Combustible liquid .H315 · Causes skin irritation. : H227 · Combustible liquid .H315 · Causes skin irritation. : H228 · Combustible liquid .H315 · Causes skin irritation. : H229 · Combustible liquid .H315 · Causes skin irritation. : H229 · Combustible liquid .H315 · Causes skin irritation. : H229 · Combustible liquid .H315 · Causes skin irritation. : H229 · Combustible liquid .H315 · Causes skin irritation. : H229 · Combustible liquid .H315 · Causes skin irritation. </td <td>Use of the substance/mixture</td> <td>For professional use only</td>	Use of the substance/mixture	For professional use only
1.3. Supplier Wandacturer Other Rubbernaid Commercial Products LLC 20 Herefrod Street Winchester, VA 22601-2894 - USA Streetford Street Brampton, ON LEY (M1 - Canada T1.800.347.300 Vww. ubbernaidCommercial Products LLC 20 Herefrod Street Brampton, ON LEY (M1 - Canada T1.800.347.300 1.4. Emergency telephone number Emergency telephone number : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) [1-352-323-3500 (International) SECTION 2: Hazard(5) Identification Immobile liquid Stammable liquids, H227 Combustible liquid Tammable liquids, H227 Combustible liquid Tammable liquids, H217 Causes skin irritation. Stategory 4 Kin sensitisation, Category H317 May cause an allergic skin reaction. Full text of H statements : see section 16 : : 2.2. GHS Labol elements, Including procautionary statements : SHS US blobling : : : tazard pictograms (GHS US) : : : statements (GHS US) : : : : <t< td=""><td>Recommended use</td><td>: Air care products,Odour agents</td></t<>	Recommended use	: Air care products,Odour agents
Anufacturer Cher Rubbermaid Commercial Products LLC Rubbermaid Commercial Products LLC Starter Starter Ninchester, VA 22601-2894 - USA Starter I.al. Emergency telephone number cstarter 2.4-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) 1-352-323-3500 (International) Starter Starter Starter Starter Starter Starter Starter Starter Starter Combustible liquid argopy 4 Lageopy 4 Starter Combustible liquid Stargopy 2 H227 Combustible liquid Causes skin irritation. Stargopy 4 H315 Causes skin irritation. Stargopy 4 H315 Causes skin irritation. Stargopy 4 H315 Causes skin irritation. Stargopy 2 Stargopy 3 Stargopy 4 Stargopy 5 Stargopy 4 Stargopy 6 Stargopy 7 Stargopy 7 <tr< td=""><td>Restrictions on use</td><td></td></tr<>	Restrictions on use	
Subbermaid Commercial Products LLC Rubbermaid Commercial Products LLC 134/ Valley Avevaue 20 Hereford Street Winchestri, VA 22601-2994 - USA Data 1.80.0.379800 T1.800.37980.7004 Extraction of the substance or mixture SECTION 2: Hazard(s) identification SECTION 3: Hazard statements SECTION 4: Hazard statements (GHS US) Signal word (GHS US) SECTION 2: Warning Hazard statements (GHS US) SECTION 2: Hazard(s) SECTION 2: Hazard(s)	1.3. Supplier	
Emergency number : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) 1-352-323-3500 (International) SECTION 2: Hazard(s) identification ************************************	Manufacturer Rubbermaid Commercial Products LLC 3124 Valley Avenue Winchester, VA 22601-2694 - USA T 1.800.347.9800 www.rubbermaidcommercial.com	Rubbermaid Commercial Products LLC 20 Hereford Street Brampton, ON L6Y 0M1 - Canada
SECTION 2: Hazard(s) identification 21. Classification of the substance or mixture PIS-US classification "ammable liquids, H227 Combustible liquid "ammable liquids, H227 Combustible liquid "attegory 4 Skin corrosion/irritation, H315 Site corrosion/irritation, H315 Causes skin irritation. "attegory 2 May cause an allergic skin reaction. Full text of H statements : see section 16 Example E2. GHS Label elements, including precautionary statements GHS Label elements, including precautionary statements SHS US labelling : : tazard pictograms (GHS US) : Warning tazard statements (GHS US) : H227 - Combustible liquid recautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P284 - Wash hands thoroughly after handling. P283 - If on skin: Wash with plenty of water. P333+P313 : If skin irritation or rash occurs. Get medical advice/attention.		
2.1. Classification of the substance or mixture SHS-US classification Hammable liquids, lategory 4 Skin corrosion/irritation, H315 Causes skin irritation. Skin sensitisation, Category 4 Skin sensitisation, Category 5 Skin sensitisation, Category 4 Hazard 5 Stategory 4 Hazard (GHS US) : Warning Hazard statements (GHS US) : Warning Hazard statements (GHS US) : Warning Hazard statements (GHS US) : Warning Precautionary statements (GHS US) : Warning Precautionary statements (GHS US) : Warning Precautionary statements (GHS US) : Paga-Paga-Paga-Paga-Paga-Paga-Paga-Paga	Emergency number	: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) 1-352-323-3500 (International)
2.1. Classification of the substance or mixture SHS-US classification Hammable liquids, lategory 4 Skin corrosion/irritation, H315 Causes skin irritation. Skin sensitisation, Category 4 Skin sensitisation, Category 5 Skin sensitisation, Category 4 Hazard 5 Stategory 4 Hazard (GHS US) : Warning Hazard statements (GHS US) : Warning Hazard statements (GHS US) : Warning Hazard statements (GHS US) : Warning Precautionary statements (GHS US) : Warning Precautionary statements (GHS US) : Warning Precautionary statements (GHS US) : Paga-Paga-Paga-Paga-Paga-Paga-Paga-Paga	SECTION 2: Hazard(s) identifica	tion
SHS-US classification Flammable liquids, category 4 Skin corrosion/irritation, Lategory 4 Skin corrosion/irritation, H315 Causes skin irritation. Scheduler, Causer Statework H315 Causer skin irritation. Scheduler, Causer Statework H315 Causer skin irritation. Skin sensitisation, Category H317 May cause an allergic skin reaction. Full text of H statements : see section 16 Environment 2.2. GHS Label elements, including precautionary statements SHS US labeling Itext of H statements : see section 16 4azard pictograms (GHS US) : 4azard pictograms (GHS US) : 4azard statements (GHS US) : 4azard statements (GHS US) : Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 - Wash hands thoroughly after handling. P264 - Wash which before reuse. P302+P352 - if on skin: Wash with pley of water. P302+P364 - Take off contaminated clothing and wash it before reuse. P403+P235 - Store in a well-ventilated place. Keep cool. 2.3. Other hazards which do not result in classification va additional information available E4.		
Planmable liquids, arrow of the statements of the statements of the statements is see section 16 Combustible liquid Sin sensitisation, Category 1 H315 Causes skin irritation. Sin sensitisation, Category 2 H317 May cause an allergic skin reaction. Sin sensitisation, Category H317 May cause an allergic skin reaction. Full text of H statements : see section 16		
Category 4 Skin corrosion/iritation, H315 Causes skin iritation. Skin corrosion/iritation, Category H317 May cause an allergic skin reaction. Skin sensitisation, Category H317 May cause an allergic skin reaction. Full text of H statements : see section 16		
Skin corrosion/irritation, H315 Causes skin irritation. Category 2 Skin sensitisation, Category H317 May cause an allergic skin reaction. Skin sensitisation, Category H317 May cause an allergic skin reaction. Full text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements SHS US labelling tazard pictograms (GHS US) if H227 - Combustible liquid H317 - May cause an allergic skin reaction. H317 - May cause an allergic skin irritation. H317 - Kay cause an allergic skin reaction. Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P284 - Wash hands thoroughly after handling. P280 - Wash protective gloves. P302+P352 - If on skin: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs. Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P235 - Store in a well-ventilated place. Keep cool.		Combustible liquid
Skin Sensitisation, Category H317 May cause an allergic skin reaction. Full text of H statements : see section 16 2.2. CHS Label elements, including precautionary statements SHS US labelling Hazard pictograms (GHS US) : iatar d statements (GHS US) : iatar d statements (GHS US) : Precautionary statements (GHS US) : Page - Wear protective gloves. P302+P32- If on skin: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P364 - Nae off contaminated clothing and wash it before reuse. P403+P325 - Store in a well-ventilated place. Keep cool. 24. Unknown acute toxicity (GHS US)		Causes skin irritation.
Full text of H statements : see section 16 22. GHS Label elements, including precautionary statements CHS US labelling Hazard pictograms (GHS US) :	3 ,	May cause an allergic skin reaction.
SHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Hazard statements (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Hazard statements (GHS US) Haza	Full text of H statements : see section 16	
SHS US labelling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Hazard statements (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Hazard statements (GHS US) Haza	2.2. GHS Label elements, including	precautionary statements
Hazard pictograms (GHS US) : Signal word (GHS US) : Hazard statements (GHS US) : Hazard statements (GHS US) : Hazard statements (GHS US) : Precautionary statements (GHS US) : Precautionary statements (GHS US) : Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P235 - Store in a well-ventilated place. Keep cool.	GHS US labelling	
 Hazard statements (GHS US) : H227 - Combustible liquid H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P235 - Store in a well-ventilated place. Keep cool. 	Hazard pictograms (GHS US)	
 H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P303+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P235 - Store in a well-ventilated place. Keep cool. Cother hazards which do not result in classification No additional information available Unknown acute toxicity (GHS US) 	Signal word (GHS US)	: Warning
smoking. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P235 - Store in a well-ventilated place. Keep cool. 2.3. Other hazards which do not result in classification No additional information available 2.4. Unknown acute toxicity (GHS US)	Hazard statements (GHS US)	H315 - Causes skin irritation.
No additional information available 2.4. Unknown acute toxicity (GHS US)	Precautionary statements (GHS US)	smoking. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.
No additional information available 2.4. Unknown acute toxicity (GHS US)	2.3. Other hazards which do not re-	sult in classification
2.4. Unknown acute toxicity (GHS US)	No additional information available	
		JS)
	Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable ixtures

3.2.		N	li

06/26/2020

Name	Product identifier	%	GHS-US classification
2,6-DIMETHYL-2-HEPTANOL	(CAS-No.) 13254-34-7	1 – 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
LIMONENE	(CAS-No.) 5989-27-5	1 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ALLYL CAPROATE	(CAS-No.) 123-68-2	1 – 10	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315
ISOAMYL ALLYLGLYCOLATE	(CAS-No.) 67634-00-8	1 – 10	Acute Tox. 4 (Oral), H302
LINALOOL	(CAS-No.) 78-70-6	1 – 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE	(CAS-No.) 68039-49-6	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
DELTA-DAMASCONE	(CAS-No.) 57378-68-4	0.1 – 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.
4.2. Most important symptoms and effect	s (acute and delayed)
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
4.3. Immediate medical attention and spe	cial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishi	ng media
	ng media : Carbon dioxide. Dry powder. Foam.
5.1. Suitable (and unsuitable) extinguishi	
5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media	Carbon dioxide. Dry powder. Foam.Do not use a heavy water stream.
5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide. Dry powder. Foam.Do not use a heavy water stream.
 5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the chemical 	Carbon dioxide. Dry powder. Foam. Do not use a heavy water stream.
 5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the cher Reactivity 	Carbon dioxide. Dry powder. Foam. Do not use a heavy water stream.
 5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the cher Reactivity 5.3. Special protective equipment and pro- 	 Carbon dioxide. Dry powder. Foam. Do not use a heavy water stream. emical Stable under normal conditions of use. ecautions for fire-fighters Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed
 5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the chee Reactivity 5.3. Special protective equipment and pre- Firefighting instructions 	 Carbon dioxide. Dry powder. Foam. Do not use a heavy water stream. emical Stable under normal conditions of use. Exactions for fire-fighters Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.
 5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the che Reactivity 5.3. Special protective equipment and pro- Firefighting instructions Protection during firefighting 	 Carbon dioxide. Dry powder. Foam. Do not use a heavy water stream. Emical Stable under normal conditions of use. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.
 5.1. Suitable (and unsuitable) extinguishi Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the chere Reactivity 5.3. Special protective equipment and press Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 	 Carbon dioxide. Dry powder. Foam. Do not use a heavy water stream. Emical Stable under normal conditions of use. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.

EN (English)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to F	Federal Register / Vol. 77, No. 58 / Monday, N	March 26, 2012 / Rules and Regulations
6.1.2. I	For emergency responders	
Protective	equipment	: Equip cleanup crew with proper protection.
Emergenc	y procedures	: Ventilate area.
6.2.	Environmental precautions	
Prevent er	ntry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. I	Methods and material for containmer	nt and cleaning up
Methods for	or cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials.
6.4. I	Reference to other sections	
See Headi	ing 8. Exposure controls and personal p	rotection.
SECTIO	N 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaution	ns for safe handling	: Keep away from sources of ignition - No smoking. Provide good ventilation in process area to prevent formation of vapour.
Hygiene m	neasures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2.	Conditions for safe storage, including	g any incompatibilities
	and the second	. Keep only in the original container in a coal, well ventilated place away from a lost courses
Storage co	DNaltions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use.
0	onaitions ble products	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
2,6-DIMETHYL-2-HEPTANOL	_ (13254-34-7)		
Not applicable			
LIMONENE (5989-27-5)			
Not applicable			
ALLYL CAPROATE (123-68-	2)		
Not applicable			
ISOAMYL ALLYLGLYCOLAT	ſE (67634-00-8)		
Not applicable			
LINALOOL (78-70-6)			
DNEL	DNEL	2.8 mg/m ³	
2,4-DIMETHYL-3-CYCLOHEX	KENE CARBOXALDEHYDE (68039-49-6)		
Not applicable			
DELTA-DAMASCONE (57378	8-68-4)		
Not applicable			

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

protective gloves

Eye protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch		
Physical state	: Liquid	
Appearance	: clear. Transparent.	
	: colourless to slightly yellow	
	: characteristic	
Odour threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 65 ℃	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.923 – 0.927	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive limits	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Stable under normal conditions of use.		
10.2. Chemical stability		
The product is stable at normal handling and stor	age conditions.	
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperature	26.	
10.5. Incompatible materials		
Strong acids. Strong bases. Oxidizing agent.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide. Organic	c compounds.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effects	3
Acute toxicity	: Not classified
TCELL TROPICAL SUNRISE	
LD50 oral rat	4812.76 mg/kg
LD50 dermal rat	7601.75 mg/kg
ATE US (oral)	4812.76 mg/kg bodyweight
ATE US (dermal)	7601.75 mg/kg bodyweight
ALLYL CAPROATE (123-68-2)	
LD50 oral rat	220 mg/kg
LD50 dermal rat	300 mg/kg
ATE US (oral)	220 mg/kg bodyweight
ATE US (dermal)	300 mg/kg bodyweight
ISOAMYL ALLYLGLYCOLATE (67634-00-8)	
LD50 oral rat	730 mg/kg
ATE US (oral)	730 mg/kg bodyweight
2,4-DIMETHYL-3-CYCLOHEXENE CARBOX	
LD50 oral rat	4000 mg/kg
ATE US (oral)	4000 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
	. Causes shin initiation. May cause an anergie shin teaction.
SECTION 12: Ecological information	1
12.1. Toxicity	

12.1. Toxicity	
Ecology - water : Toxic to aquatic life with long lasting effects.	

LINALOOL (78-70-6)	
LC50 fish 1	27.8 mg/l
EC50 other aquatic organisms 1	20 mg/l waterflea
EC50 other aquatic organisms 2	88.3 mg/l
12.2. Persistence and degradability	
TCELL TROPICAL SUNRISE	

TCELL TROPICAL SUNRISE	
Persistence and degradability	May cause long-term adverse effects in the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALOOL (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXAL	.DEHYDE (68039-49-6)
Partition coefficient n-octanol/water (Log Pow)	2.7
12.4. Mobility in soil	
No additional information available	

12.5.	Other adverse effects	
No additional information available		

SECTION 13: Disposal consideratio	ins
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	 Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (CONTAINS ; LIMONENE(5989- 27-5) ; 2-t-BUTYLCYCLOHEXYL ACETATE(88-41-5)), 9, III
UN-No.(DOT)	: UN3082
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s.
	CONTAINS ; LIMONENE(5989-27-5) ; 2-t-BUTYLCYCLOHEXYL ACETATE(88-41-5)
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
00	
DOT Packaging Bulk (49 CFR 173.xxx)	: 241

DOT Symbols

: G - Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leakproof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
IBC code	: Not applicable.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	

SECTION 15: Regulatory information

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,6-DIMETHYL-2-HEPTANOL (13254-34-7)		
Not subject to reporting requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory		
LIMONENE (5989-27-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
ALLYL CAPROATE (123-68-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
ISOAMYL ALLYLGLYCOLATE (67634-00-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
LINALOOL (78-70-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
DELTA-DAMASCONE (57378-68-4)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. International regulations

CANADA

No additional information available

LIMONENE (5989-27-5)		
Listed on the Canadian DSL (Domestic Substances List)		
ALLYL CAPROATE (123-68-2)		
Listed on the Canadian DSL (Domestic Substances List)		
ISOAMYL ALLYLGLYCOLATE (67634-00-8)		
Listed on the Canadian DSL (Domestic Substances List)		
LINALOOL (78-70-6)		
LINALOOL (78-70-6)		
LINALOOL (78-70-6) Listed on the Canadian DSL (Domestic Substances List)		
Listed on the Canadian DSL (Domestic Substances List)		
Listed on the Canadian DSL (Domestic Substances List) 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)		

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information	
Revision date	: 04/08/2020
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-statements:

H226	Flammable liquid and vapour.	
H227	Combustible liquid	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
	Precautionary statements (GHS US)	Modified	

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.