

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 03/25/2015 Revision date: 10/01/2019 Version: 2.0

## **SECTION 1: Identification**

Identification

: SeBreeze 9000 COUNTRY LINEN: Product name

Product code 1788363

SKU# : FG5159000000

Recommended use and restrictions on use

Use of the substance/mixture : Aerosol

> For professional use only Air care products Odour agents

Recommended use Air care products, Odour agents

Professional uses: Public domain (administration, education, entertainment, services, Restrictions on use

1.3. Supplier

Manufacturer

Rubbermaid Commercial Products LLC 3124 Valley Avenue Winchester, VA 22601-2694 - USA

T 1.800.347.9800

www.rubbermaidcommercial.com

Other

20 Hereford Street

**Emergency telephone number** 

Emergency number : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

Extremely flammable aerosol.

Causes skin irritation.

## **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

## **GHS-US** classification

Flammable aerosols, H222

Category 1 Gases under pressure :

H280

H315

Skin corrosion/irritation,

Category 2

Compressed gas

irritation. Category 2A

Skin sensitisation, Category

Specific target organ

toxicity — Single exposure, Category 3, Respiratory

tract irritation

Full text of H statements: see section 16

Rubbermaid Commercial Products LLC Brampton, ON L6Y 0M1 - Canada

T 1.800.998.7004

Contains gas under pressure; may explode if heated.

#### Serious eye damage/eye Causes serious eye irritation. H319

H317 May cause an allergic skin reaction.

May cause respiratory irritation.

## GHS Label elements, including precautionary statements

H335

## **GHS US labelling**

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) H222 - Extremely flammable aerosol.

H280 - Contains gas under pressure; may explode if heated.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

Precautionary statements (GHS US) P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

06/17/2020 EN (English) Page 1

# SeBreeze 9000 COUNTRY LINEN BREEZE

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing vapours, spray, mist.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	20 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2,6-DIMETHYL-7-OCTEN-2-OL	(CAS-No.) 18479-58-8	1 – 10	Eye Irrit. 2A, H319
ACETYL CEDRENE	(CAS-No.) 32388-55-9	1 – 10	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 – 1	Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS-No.) 6259-76-3	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LIMONENE	(CAS-No.) 5989-27-5	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLOL	(CAS-No.) 106-22-9	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get medical advice if skin irritation persists.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

06/17/2020 EN (English) 2/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Specific hazards arising from the chemical

Fire hazard : Extremely flammable aerosol.

Explosion hazard : May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed

containers, spreading fire and increasing risk of burns and injuries.

Reactivity : Stable under normal conditions of use.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when

fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

## 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

06/17/2020 EN (English) 3/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity

should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/122 °F.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

LIMONENE (5989-27-5)		
Not applicable		
CITRONELLOL (106-22-9)		
DNEL DNEL 10 mg/m³		

#### **BENZYL SALICYLATE (118-58-1)**

Not applicable

## 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

Not applicable

Alcohol (64-17-5)		
DNEL	DNEL	950 mg/m³
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2019
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

HEXYLENE GLYCOL (107-41-5)		
DNEL	DNEL	14 mg/m³
ACGIH	Local name	Hexylene glycol
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)
ACGIH	ACGIH STEL (mg/m³)	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr
ACGIH	Regulatory reference	ACGIH 2019

# 2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)

Not applicable

## **ACETYL CEDRENE (32388-55-9)**

Not applicable

# hexyl 2-hydroxybenzoate (6259-76-3)

Not applicable

## 8.2. Appropriate engineering controls

Appropriate engineering controls

 Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

06/17/2020 EN (English) 4/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1.

Physical state : Liquid

Appearance Transparent. clear.

colourless to slightly yellow

Extremely flammable aerosol.

characteristic

Odour threshold No data available рΗ No data available No data available Melting point Freezing point No data available : No data available Boiling point Flash point No data available Relative evaporation rate (butylacetate=1) No data available

Vapour pressure : 4.5 - 4.5 bar Relative vapour density at 20 °C : No data available

Relative density 0.7

Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive limits : 1.8 - 19 vol % Explosive properties : No data available Oxidising properties : No data available

#### Other information

Flammability (solid, gas)

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions of use.

# **Chemical stability**

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.3. Possibility of hazardous reactions

Not established.

06/17/2020 EN (English) 5/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight

ACETYL CEDRENE (32388-55-9)		
LD50 oral rat	≈ 5200 mg/kg	
LD50 dermal rabbit ≈ 500 mg/kg		
hexyl 2-hydroxybenzoate (6259-76-3)		
LD50 oral rat	> 5000 mg/kg	

 Skin corrosion/irritation
 : Causes skin irritation.

 Serious eye damage/irritation
 : Causes serious eye irritation.

 Respiratory or skin sensitisation
 : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	17.48 mg/l waterflea
EC50 other aquatic organisms 2	2.38 mg/l

06/17/2020 EN (English) 6/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	8690 mg/l	
EC50 other aquatic organisms 1	5410 mg/l waterflea	
EC50 other aquatic organisms 2	> 429 mg/l	

## 12.2. Persistence and degradability

SeBreeze 9000 COUNTRY LINEN	
Persistence and degradability	Not established.

Alcohol (64-17-5)	
Persistence and degradability	Not established.

## 12.3. Bioaccumulative potential

•			
SeBreeze 9000 COUNTRY LINEN			
Bioaccumulative potential	Not established.		
CITRONELLOL (106-22-9)	CITRONELLOL (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.1		
Alcohol (64-17-5)			
Partition coefficient n-octanol/water (Log Pow)	-0.32		
Bioaccumulative potential	Not established.		
HEXYLENE GLYCOL (107-41-5)			
Partition coefficient n-octanol/water (Log Pow)	-0.1		

#### 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Effect on the ozone layer : None to our knowledge

Effect on global warming No known effects from this product.

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

## 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

06/17/2020 EN (English) 7/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1950 Aerosols, 2.1

UN-No.(DOT) : UN1950
Proper Shipping Name (DOT) : Aerosols

Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None

DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Other information : No supplementary information available.

## **Transportation of Dangerous Goods**

Not applicable

#### Transport by sea

Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

UN-No. (IMDG) : 1950
Proper Shipping Name (IMDG) : AEROSOLS
Class (IMDG) : 2 - Gases
Limited quantities (IMDG) : SP277

#### Air transport

Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1

UN-No. (IATA) : 1950

Proper Shipping Name (IATA) : Aerosols, flammable

Class (IATA) : 2

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

#### LIMONENE (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## **CITRONELLOL (106-22-9)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **BENZYL SALICYLATE (118-58-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

06/17/2020 EN (English) 8/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **HEXYLENE GLYCOL (107-41-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **ACETYL CEDRENE (32388-55-9)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### hexyl 2-hydroxybenzoate (6259-76-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### **CANADA**

## LIMONENE (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **CITRONELLOL (106-22-9)**

Listed on the Canadian DSL (Domestic Substances List)

#### **BENZYL SALICYLATE (118-58-1)**

Listed on the Canadian DSL (Domestic Substances List)

#### 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

Listed on the Canadian DSL (Domestic Substances List)

### Alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

## **HEXYLENE GLYCOL (107-41-5)**

Listed on the Canadian DSL (Domestic Substances List)

### 2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

#### **ACETYL CEDRENE (32388-55-9)**

Listed on the Canadian DSL (Domestic Substances List)

## hexyl 2-hydroxybenzoate (6259-76-3)

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

No additional information available

#### **National regulations**

## Alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

## Alcohol (64-17-5)

U.S. - Pennsylvania - RTK (Right to Know) List

06/17/2020 EN (English) 9/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **HEXYLENE GLYCOL (107-41-5)**

U.S. - Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

Revision date

: 10/01/2019

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

#### Full text of H-statements:

H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H280	Contains gas under pressure; may explode if heated.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		

#### Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
	Hazard pictograms (GHS US)	Modified	
	Precautionary statements (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
2.1	GHS-US classification	Modified	

SDS\_US\_GHS\_HazCom\_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

06/17/2020 EN (English) 10/10