

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/25/2015 Revision date: 10/01/2019 Version: 2.0

Commercial Products

SECTION 1: Identification			
1.1. Identification			
Product name	: SeBreeze 9000 CITRUS BREEZE		
Product code	: 1788368		
SKU #	: FG516000000		
1.2. Recommended use and restrictions	on use		
Use of the substance/mixture	: Aerosol Air care products For professional use only Odour agents		
Recommended use	: Air care products,Odour agents		
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)		
1.3. Supplier			
Manufacturer	Other		

Manufacturor

Manuacturer
Rubbermaid Commercial Products LLC
3124 Valley Avenue
Winchester, VA 22601-2694 - USA
T 1.800.347.9800
www.rubbermaidcommercial.com

1.4. **Emergency telephone number**

Emergency number

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

Rubbermaid Commercial Products LLC

Brampton, ON L6Y 0M1 - Canada

20 Hereford Street

T 1.800.998.7004

SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS-US classification** Flammable aerosols, H222 Extremely flammable aerosol. Category 1 Gases under pressure : H280 Contains gas under pressure; may explode if heated. Compressed gas Skin corrosion/irritation, H315 Causes skin irritation. Category 2 Serious eye damage/eye H319 Causes serious eye irritation. irritation, Category 2A Skin sensitisation, Category H317 May cause an allergic skin reaction. Carcinogenicity, Category 2 H351 Suspected of causing cancer.

Full text of H statements : see section 16

	2.2.	GHS Label elements	, including precautionary	/ statements
--	------	---------------------------	---------------------------	--------------

GHS US labelling

06/17/2020	EN (English) Dogo 1
Precautionary statements (GHS US)	 P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use.
Hazard statements (GHS US)	 H222 - Extremely flammable aerosol. H280 - Contains gas under pressure; may explode if heated. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H351 - Suspected of causing cancer.
e ()	0
Hazard pictograms (GHS US) Signal word (GHS US)	: Danger
one conducting	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 P261 - Avoid breathing mist, spray, vapours. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P410+P403 - Protect from sunlight. Store in a well-ventilated place.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Alcohol	(CAS-No.) 64-17-5	10 – 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
LIMONENE	(CAS-No.) 5989-27-5	1 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CITRAL	(CAS-No.) 5392-40-5	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
MYRCENE	(CAS-No.) 123-35-3	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Wash with plenty of water/ Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Immediate medical attention and sp	pecial treatment, if necessary

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media :	Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media : Do not use a heavy water stream.		
5.2. Specific hazards arising from the chem	nical	
Fire hazard :	Extremely flammable aerosol.	
Explosion hazard :	May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.	
Reactivity :	Stable under normal conditions of use.	
5.3. Special protective equipment and pred	autions for fire-fighters	
Firefighting instructions :	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.	
Protection during firefighting :	Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release measu	res	
6.1. Personal precautions, protective equip		
	No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel Emergency procedures :	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment :	Equip cleanup crew with proper protection.	
Emergency procedures :	Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify a	uthorities if liquid enters sewers or public waters.	
6.3. Methods and material for containment	and cleaning up	
Methods for cleaning up :	Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and personal pro	ptection.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed :	Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.	
Precautions for safe handling :	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.	
Hygiene measures :	Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including	any incompatibilities	
	Comply with applicable regulations.	
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.	
Incompatible products :	Strong bases. Strong acids.	
Incompatible materials :	Sources of ignition. Direct sunlight. Heat sources.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LIMONENE (5989-27-5)			
Not applicable			
CITRAL (5392-40-5)	CITRAL (5392-40-5)		
DNEL DNEL 9 mg/m ³			
Alcohol (64-17-5)			
DNEL	DNEL	950 mg/m³	
ACGIH	Local name	Ethanol	
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
ACGIH	Regulatory reference	ACGIH 2019	
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
HEXYLENE GLYCOL (107-41-5)			
DNEL	DNEL	14 mg/m ³	
ACGIH	Local name	Hexylene glycol	
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)	
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)	
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)	
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr	
ACGIH	Regulatory reference	ACGIH 2019	
MYRCENE (123-35-	3)		
Not applicable			

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and che	emical properties	
	Liquid	
11	Transparent. clear. colourless to slightly yellow	
	characteristic	
06/17/2020	EN (English)	4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		······································
Odour threshold	:	No data available
рН	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Vapour pressure	:	4.5 – 5.5 bar
Relative vapour density at 20 °C	:	No data available
Relative density	:	0.7
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive limits	:	1.8 – 19 vol %
Explosive properties	:	No data available
Oxidising properties	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity

: Not classified

Alcohol (64-17-5)	
LD50 oral rat 7060 mg/kg	
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity	: Suspected of causing cancer.
LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
MYRCENE (123-35-3)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

CITRAL (5392-40-5)		
LC50 fish 1	4.1 mg/l	
EC50 other aquatic organisms 1	7 mg/l waterflea	
EC50 other aquatic organisms 2	5 mg/l	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	8690 mg/l	
EC50 other aquatic organisms 1	5410 mg/l waterflea	
EC50 other aquatic organisms 2	> 429 mg/l	
2.2. Persistence and degradability		
SeBreeze 9000 CITRUS BREEZE		
Persistence and degradability	Not established.	
Alcohol (64-17-5)		
Persistence and degradability	Not established.	
2.3. Bioaccumulative potential		
SeBreeze 9000 CITRUS BREEZE		
Bioaccumulative potential	Not established.	
CITRAL (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.8	
Alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.32	
Bioaccumulative potential	Not established.	
HEXYLENE GLYCOL (107-41-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.1	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on the ozone layer	: None to our knowledge
	. None to our knowledge
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	IS
I3.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under
	pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable
	vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Constitution (DOT)	
Department of Transportation (DOT) n accordance with DOT	
ransport document description	: UN1950 Aerosols, 2.1
JN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
	PLAMMABLE GAS
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail	: 75 kg
(49 CFR 173.27)	150 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	L IOU KU
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
	passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except
	Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	: No supplementary information available.
Fransportation of Dangerous Goods	
Fransport document description	: UN1950 AEROSOLS, 2.1
	: UN1950 AEROSOLS, 2.1 : UN1950
UN-No. (TDG) Proper Shipping Name (Transportation of	
Dangerous Goods)	: AEROSOLS
TDG Primary Hazard Classes	: 2.1 - Class 2.1 - Flammable Gas

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Special Provisions	 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment),107 - (1) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of UN1950, AEROSOLS, and UN2037, GAS CARTRIDGES, that contain dangerous goods included in Class 2.1 or Class 2.2 and that are transported on a road vehicle, a railway vehicle or a vessel on a domestic voyage, if the aerosols or gas cartridges have a capacity less than or equal to 50 mL. (2) Subsection (1) does not apply to self-defence spray.
Explosive Limit and Limited Quantity Index	: 1L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 75 L
Transport by sea	
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Limited quantities (IMDG)	: SP277
Air transport	
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2

SECTION 15: Regulatory information	
15.1. US Federal regulations	

LIMONENE (5989-27-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
CITRAL (5392-40-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Alcohol (64-17-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYLENE GLYCOL (107-41-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
MYRCENE (123-35-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations
CANADA
LIMONENE (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)
CITRAL (5392-40-5)
Listed on the Canadian DSL (Domestic Substances List)
Alcohol (64-17-5)
Listed on the Canadian DSL (Domestic Substances List)
HEXYLENE GLYCOL (107-41-5)
Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MYRCENE (123-35-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Alcohol (64-17-5)
Listed on IARC (International Agency for Research on Cancer)
MYRCENE (123-35-3)
Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

MYRCENE (123	-35-3)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
Alcohol (64-17-	5)				
U.S Pennsylva	ania - RTK (Right to K	now) List			
HEXYLENE GL	YCOL (107-41-5)				
U.S. Bonnoulus	nia - RTK (Right to Ki	now) List			

SECTION 16: Other Information	
Revision date	: 10/01/2019
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our

storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

Extremely flammable aerosol.	
Highly flammable liquid and vapour.	
Flammable liquid and vapour.	
Contains gas under pressure; may explode if heated.	
May be fatal if swallowed and enters airways.	
Causes skin irritation.	
May cause an allergic skin reaction.	
Causes serious eye irritation.	
May cause respiratory irritation.	
Suspected of causing cancer.	
Very toxic to aquatic life.	
Very toxic to aquatic life with long lasting effects.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section	Changed item	Change	Comments
	Precautionary statements (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
	Hazard pictograms (GHS US)	Modified	
	Revision date	Added	
2.1	GHS-US classification	Modified	

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Commercial Products

SeBreeze 9000 COUNTRY LINEN

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/25/2015 Revision date: 10/01/2019 Version: 2.0

SECTION 1: Identification Identification 1.1. : SeBreeze 9000 COUNTRY LINEN: Product name Product code 1788363 SKU # : FG5159000000 1.2. Recommended use and restrictions on use Use of the substance/mixture : Aerosol For professional use only Air care products Odour agents Recommended use : Air care products,Odour agents Professional uses: Public domain (administration, education, entertainment, services, Restrictions on use craftsmen) **Supplier** 1.3.

~ . .

Manufacturer

Manufacturer		Other	
Rubbermaid Commercial Products LLC		Rubbermaid Commercial Products LLC	
3124 Valley Avenue		20 Hereford Street	
Winchester, VA 22601-2694 - USA		Brampton, ON L6Y 0M1 - Canada	
T 1.800.347.9800		T 1.800.998.7004	
www.rubbermaidcommercial.com			
1.4. Emergency telephone number			
Emorgonov number	· 24 Hour Emorgonov	INFOTPAC: 1 800 535 5053 (Domostic)	,

Emergency number

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

SECTION 2: Hazard(s)) identification	
2.1. Classification of t	he substance or mixture	
GHS-US classification		
Flammable aerosols, Category 1	H222	Extremely flammable aerosol.
Gases under pressure : Compressed gas	H280	Contains gas under pressure; may explode if heated.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Skin sensitisation, Category	H317	May cause an allergic skin reaction.
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Signal word (GHS US)

Hazard pictograms (GHS US)

Hazard statements (GHS US)

Precautionary statements (GHS US)

\wedge	
$\langle - \rangle$	$\langle ! \rangle$

: Danger

÷

H222 - Extremely flammable aerosol.

- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SeBreeze 9000 COUNTRY LINEN BREEZE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing vapours, spray, mist.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P363 - Wash contaminated clothing before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	20 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2,6-DIMETHYL-7-OCTEN-2-OL	(CAS-No.) 18479-58-8	1 – 10	Eye Irrit. 2A, H319
ACETYL CEDRENE	(CAS-No.) 32388-55-9	1 – 10	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 – 1	Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS-No.) 6259-76-3	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LIMONENE	(CAS-No.) 5989-27-5	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLOL	(CAS-No.) 106-22-9	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	 Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
06/17/2020	EN (English) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	onday, March 20, 2012 / Rules and Regulations
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and	effects (acute and delayed)
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Immediate medical attention a	nd special treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measu	
5.1. Suitable (and unsuitable) extin	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Jnsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from t	
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Special protective equipment a	and precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	measures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	Notify authorities if liquid enters sewers or public waters.
, ,	
6.3. Methods and material for conta Methods for cleaning up	
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and per	sonal protection.
SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

: Wash hands and other exposed areas with mild soap and water before eating, drinking or

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the

of vapour. Do not spray on an open flame or other ignition source.

workplace. Wash contaminated clothing before reuse.

smoking and when leaving work. Provide good ventilation in process area to prevent formation

06/17/2020

Precautions for safe handling

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe stora	age, including any incompatibilities
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	 Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control para	meters	
LIMONENE (5989-27-	5)	
Not applicable		
CITRONELLOL (106-	22-9)	
DNEL	DNEL	10 mg/m ³
BENZYL SALICYLAT	E (118-58-1)	
Not applicable		
	nethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)	
Not applicable		
Alcohol (64-17-5)		
DNEL	DNEL	950 mg/m³
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2019
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
HEXYLENE GLYCOL	(107-41-5)	
DNEL	DNEL	14 mg/m ³
ACGIH	Local name	Hexylene glycol
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr
ACGIH	Regulatory reference	ACGIH 2019
2,6-DIMETHYL-7-OCT	TEN-2-OL (18479-58-8)	
Not applicable		
ACETYL CEDRENE (32388-55-9)	
Not applicable		
hexyl 2-hydroxybenz	coate (6259-76-3)	
Not applicable		

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	
9.1. Information on basic physical and o	
Physical state	: Liquid
Appearance	: Transparent. clear.
	: colourless to slightly yellow
	: characteristic
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 4.5 – 4.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: 1.8 – 19 vol %
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	

No additional information available

SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4.	Conditions to avoid
Direct s	unlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.
10.5.	Incompatible materials
Oxidizin	g agent. Strong acids. Strong bases.
10.6.	Hazardous decomposition products
May rele	ease flammable gases. fume. Carbon monoxide. Carbon dioxide.
SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects
Acute to	xicity : Not classified

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight
ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg
	~ ooo mg/kg
hexyl 2-hydroxybenzoate (6259-76-3)	5000
LD50 oral rat	> 5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
	: Not classified
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity STOT-single exposure	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation.
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity STOT-single exposure	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation.
Reproductive toxicity STOT-single exposure STOT-repeated exposure	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation. Not classified
Reproductive toxicity STOT-single exposure	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation.
Reproductive toxicity STOT-single exposure STOT-repeated exposure	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation. Not classified
Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Potential adverse human health effects and	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation. Not classified Not classified
Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Potential adverse human health effects and symptoms	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation. Not classified Not classified Based on available data, the classification criteria are not met.
Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Potential adverse human health effects and symptoms Symptoms/effects after inhalation	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation. Not classified Not classified Based on available data, the classification criteria are not met. Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.

SECTION 12: Ecological information	
12.1. Toxicity	
CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	17.48 mg/l waterflea
EC50 other aquatic organisms 2	2.38 mg/l

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alashal $(64.17.5)$		
Alcohol (64-17-5)	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	8690 mg/l	
EC50 other aquatic organisms 1	5410 mg/l waterflea	
EC50 other aquatic organisms 2	> 429 mg/l	
12.2. Persistence and degradability		
SeBreeze 9000 COUNTRY LINEN		
Persistence and degradability	Not established.	
Alcohol (64-17-5)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
SeBreeze 9000 COUNTRY LINEN		
Bioaccumulative potential	Not established.	
CITRONELLOL (106-22-9)		
Partition coefficient n-octanol/water (Log Pow) 3.1		
Alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.32	
Bioaccumulative potential	Not established.	
HEXYLENE GLYCOL (107-41-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.1	

12.4. Mobility in soil

No additional information available

12.5.	Other adverse effects	
Effect or	n the ozone layer	: None to our knowledge
Effect or	n global warming	No known effects from this product.

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. 	
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.	
Ecology - waste materials	: Avoid release to the environment.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of	Transportation	(DOT)

In accordance with DOT

Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	: 2.1 - Class 2.1 - Flam
Hazard labels (DOT)	: 2.1 - Flammable gas

UN1950 Aerosols, 2.1	

Class 2.1 - Flammable gas 49 CFR 173.115



		•
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	None
DOT Packaging Bulk (49 CFR 173.xxx)	:	None
DOT Special Provisions (49 CFR 172.102)	:	N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	:	306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	150 kg
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	:	48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Transport document description (IMDG)	:	UN 1950 AEROSOLS, 2.1
UN-No. (IMDG)	:	1950
Proper Shipping Name (IMDG)	:	AEROSOLS
Class (IMDG)	:	2 - Gases
Limited quantities (IMDG)	:	SP277
Air transport		
Transport document description (IATA)	:	UN 1950 Aerosols, flammable, 2.1
UN-No. (IATA)	:	1950
Proper Shipping Name (IATA)	:	Aerosols, flammable
Class (IATA)	:	2

SECTION 15: Regulatory information	
15.1. US Federal regulations	
LIMONENE (5989-27-5)	

Listed on the United States TSCA (Toxic Substances Control Act) inventory
CITRONELLOL (106-22-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Alcohol (64-17-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYLENE GLYCOL (107-41-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
ACETYL CEDRENE (32388-55-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
hexyl 2-hydroxybenzoate (6259-76-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations
CANADA
LIMONENE (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)
CITRONELLOL (106-22-9)
Listed on the Canadian DSL (Domestic Substances List)
BENZYL SALICYLATE (118-58-1)
Listed on the Canadian DSL (Domestic Substances List)
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Listed on the Canadian DSL (Domestic Substances List)
Alcohol (64-17-5)
Listed on the Canadian DSL (Domestic Substances List)
HEXYLENE GLYCOL (107-41-5)
Listed on the Canadian DSL (Domestic Substances List)
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)
Listed on the Canadian DSL (Domestic Substances List)
ACETYL CEDRENE (32388-55-9)
Listed on the Canadian DSL (Domestic Substances List)
hexyl 2-hydroxybenzoate (6259-76-3)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Alcohol (64-17-5)
Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Alcohol (64-17-5)

U.S. - Pennsylvania - RTK (Right to Know) List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXYLENE GLYCOL (107-41-5)

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other informati	on
Revision date	: 10/01/2019
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
	Hazard pictograms (GHS US)	Modified	
	Precautionary statements (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
2.1	GHS-US classification	Modified	

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/25/2015 Revision date: 10/01/2019 Version: 2.0

Commercial Products

SECTION 1: Identification	
1.1. Identification	
Product name	: SeBreeze 9000 ORCHARD HARVEST
Product code	: 1830280
SKU #	: FG5145000000
1.2. Recommended use and restric	tions on use
Use of the substance/mixture	: Aerosol For professional use only Air care products Odour agents
Recommended use	: Air care products, Odour agents
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
1.3. Supplier	
Manufacturer	Other

Manufacturer
Rubbermaid Commercial Products LLC
3124 Valley Avenue
Winchester, VA 22601-2694 - USA
T 1.800.347.9800
www.rubbermaidcommercial.com

1.4. Emergency telephone number

Emergency number

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

Rubbermaid Commercial Products LLC

Brampton, ON L6Y 0M1 - Canada

20 Hereford Street

T 1.800.998.7004

SECTION 2: Hazard(s)) identification	
2.1. Classification of t	he substance or mixture	
GHS-US classification		
Flammable aerosols, Category 1	H222	Extremely flammable aerosol.
Gases under pressure : Compressed gas	H280	Contains gas under pressure; may explode if heated.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16


2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)



- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation. H317 - May cause an allergic skin reaction.
- H317 May cause an anergic skin reaction.
- H319 Causes serious eye irritation. H335 - May cause respiratory irritation.
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
- smoking.

: Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours, spray, mist. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves. P302+P352 - If on skin: Wash with plenty of water. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a doctor if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P410+P403 - Protect from sunlight. Store in a well-ventilated place. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Other hazards which do not result in classification 2.3.

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	20 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
HEXYL CINNAMAL	(CAS-No.) 101-86-0	1 – 10	Skin Irrit. 2, H315 Skin Sens. 1, H317
HYDROXYCITRONELLAL	(CAS-No.) 107-75-5	0.1 – 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS-No.) 6259-76-3	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLOL	(CAS-No.) 106-22-9	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
AMYL CINNAMAL	(CAS-No.) 122-40-7	0.1 – 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
METHYLENEDIOXYPHENYL METHYLPROPANAL	(CAS-No.) 1205-17-0	0.1 – 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 – 1	Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid me	easures	
4.1. Description of first a	id measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you advice (show the label where possible).	feel unwell, seek medical
First-aid measures after inhalation	on : Cough. Remove person to fresh air and keep comfortable for bi CENTER/doctor if you feel unwell.	eathing. Call a POISON
First-aid measures after skin cor	tact : Take off immediately all contaminated clothing. Get medical adv Wash with plenty of water/ Wash contaminated clothing befo	
First-aid measures after eye con	tact : Rinse cautiously with water for several minutes. Direct contact wirritating. Remove contact lenses, if present and easy to do. Compensists: Get medical advice/attention.	
06/17/2020	EN (English)	2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Most important symptoms and effects (acute and delayed) 4.2. Potential adverse human health effects and : Based on available data, the classification criteria are not met. symptoms Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation. Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Causes serious eye irritation. 43 Immediate medical attention and special treatment, if necessary No additional information available **SECTION 5: Fire-fighting measures** Suitable (and unsuitable) extinguishing media 5.1. Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Unsuitable extinguishing media : Do not use a heavy water stream. 52 Specific hazards arising from the chemical Fire hazard : Extremely flammable aerosol. : May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed Explosion hazard containers, spreading fire and increasing risk of burns and injuries. : Stable under normal conditions of use. Reactivity 5.3. Special protective equipment and precautions for fire-fighters **Firefighting instructions** : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. **SECTION 6: Accidental release measures** Personal precautions, protective equipment and emergency procedures 6.1 General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges. 6.1.1 For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. Emergency procedures Ventilate area. 6.2 **Environmental precautions** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 6.3 Methods and material for containment and cleaning up : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as Methods for cleaning up soon as possible. Collect spillage. Store away from other materials. 6.4. **Reference to other sections** See Heading 8. Exposure controls and personal protection.

 SECTION 7: Handling and storage

 7.1.
 Precautions for safe handling

 Additional hazards when processed
 : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

 Precautions for safe handling
 : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.

 Hygiene measures
 : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2.	Conditions for safe storage, inclue	any incompatibilities	
Technic	al measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.	
Storage	conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.	
Incomp	atible products	: Strong bases. Strong acids.	
Incomp	atible materials	: Sources of ignition. Direct sunlight. Heat sources.	

SECTION 8: Exposure controls/personal protection

.1. Control par	rameters	
CITRONELLOL (10	6-22-9)	
DNEL	DNEL	10 mg/m ³
HEXYL CINNAMAL	(101-86-0)	
Not applicable		
BENZYL SALICYLA	ATE (118-58-1)	
Not applicable		
	imethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)	
Not applicable		
Alcohol (64-17-5)		
DNEL	DNEL	950 mg/m³
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Anima Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2019
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
HEXYLENE GLYCC	DL (107-41-5)	· · ·
DNEL	DNEL	14 mg/m ³
ACGIH	Local name	Hexylene glycol
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr
ACGIH	Regulatory reference	ACGIH 2019
HYDROXYCITRONI	ELLAL (107-75-5)	·
Not applicable		
hexyl 2-hydroxybe	nzoate (6259-76-3)	
Not applicable		
AMYL CINNAMAL ((122-40-7)	
Not applicable		
METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)		
Not applicable		

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	
Physical state	: Liquid
Appearance	: clear. Transparent.
	: colourless to slightly yellow
	: characteristic
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 4.5 – 5.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: 1.8 – 19 vol %
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	

No additional information available

SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4.	Conditions to avoid			
Direct s	Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.			
10.5.	Incompatible materials			
Oxidizin	Oxidizing agent. Strong acids. Strong bases.			
10.6.	. Hazardous decomposition products			
May release flammable gases. fume. Carbon monoxide. Carbon dioxide.				
SECTION 11: Toxicological information				
11.1.	11.1. Information on toxicological effects			
Acute to	exicity : Not classified			

Alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LD50 dermal rabbit	> 16000 mg/kg	
LC50 inhalation rat (mg/l)	> 20 mg/l/4h	
ATE US (oral)	7060 mg/kg bodyweight	
hexyl 2-hydroxybenzoate (6259-76-3)		
LD50 oral rat	> 5000 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Reproductive toxicity STOT-single exposure	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation. 	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.	
Symptoms/effects after skin contact	: Causes skin irritation.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	

SECTION 12: Ecological information			
12.1. Toxicity			
CITRONELLOL (106-22-9)			
LC50 fish 1	10 mg/l		
EC50 other aquatic organisms 1	17.48 mg/l waterflea		
EC50 other aquatic organisms 2	2.38 mg/l		
HEXYL CINNAMAL (101-86-0)			
LC50 fish 1	1.7 mg/l		
EC50 other aquatic organisms 2	> 0.32 mg/l		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)			
LC50 fish 1	13000 mg/l		
EC50 Daphnia 1	9300 mg/l		
EC50 other aquatic organisms 1	5012 mg/l waterflea		
EC50 other aquatic organisms 2	275 mg/l		
HEXYLENE GLYCOL (107-41-5)			
LC50 fish 1	8690 mg/l		
EC50 other aquatic organisms 1	5410 mg/l waterflea		
EC50 other aquatic organisms 2	> 429 mg/l		
HYDROXYCITRONELLAL (107-75-5)			
EC50 other aquatic organisms 1	410 mg/l waterflea		
EC50 other aquatic organisms 2	68 mg/l		
AMYL CINNAMAL (122-40-7)			
LC50 fish 1	3 mg/l		
EC50 other aquatic organisms 1	1.1 mg/l waterflea		
EC50 other aquatic organisms 2	1.89 mg/l		
12.2. Persistence and degradability			
SeBreeze 9000 ORCHARD HARVEST	SeBreeze 9000 ORCHARD HARVEST		

Sedieeze 9000 Orchard Harvest	
Persistence and degradability	Not established.

Alcohol (64-17-5)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential			
SeBreeze 9000 ORCHARD HARVEST			
Bioaccumulative potential	Not established.		
CITRONELLOL (106-22-9)			
Partition coefficient n-octanol/water (Log Pow)	3.1		
HEXYL CINNAMAL (101-86-0)			
Partition coefficient n-octanol/water (Log Pow)	5.3		
Alcohol (64-17-5)			
Partition coefficient n-octanol/water (Log Pow)	-0.32		
Bioaccumulative potential	Not established.		
HEXYLENE GLYCOL (107-41-5)			
Partition coefficient n-octanol/water (Log Pow)	-0.1		
HYDROXYCITRONELLAL (107-75-5)			
Partition coefficient n-octanol/water (Log Pow)	1.54		
AMYL CINNAMAL (122-40-7)			
Partition coefficient n-octanol/water (Log Pow)	4.7		

12.4. Mobility in soil

No additional information available

12.5.	Other adverse effects	
Effect on the ozone layer		: None to our knowledge
Effect on global warming		No known effects from this product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

o o i	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
	· · ·



		\mathbf{v}
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	None
DOT Packaging Bulk (49 CFR 173.xxx)	:	None
DOT Special Provisions (49 CFR 172.102)	:	N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	:	306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	150 kg
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	:	48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Transport document description (IMDG)	:	UN 1950 AEROSOLS, 2.1
UN-No. (IMDG)	:	1950
Proper Shipping Name (IMDG)	:	AEROSOLS
Class (IMDG)	:	2 - Gases
Limited quantities (IMDG)	:	SP277
Air transport		

Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2

15.1. US Federal regulations		
SECTION 15: Regulatory information		
	· £	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CITRONELLOL (106-22-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYL CINNAMAL (101-86-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Alcohol (64-17-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYLENE GLYCOL (107-41-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HYDROXYCITRONELLAL (107-75-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313
hexyl 2-hydroxybenzoate (6259-76-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
AMYL CINNAMAL (122-40-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations
CANADA
CITRONELLOL (106-22-9)
Listed on the Canadian DSL (Domestic Substances List)
HEXYL CINNAMAL (101-86-0)
Listed on the Canadian DSL (Domestic Substances List)
BENZYL SALICYLATE (118-58-1)
Listed on the Canadian DSL (Domestic Substances List)
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Listed on the Canadian DSL (Domestic Substances List)
Alcohol (64-17-5)
Listed on the Canadian DSL (Domestic Substances List)
HEXYLENE GLYCOL (107-41-5)
Listed on the Canadian DSL (Domestic Substances List)
hexyl 2-hydroxybenzoate (6259-76-3)
Listed on the Canadian DSL (Domestic Substances List)
AMYL CINNAMAL (122-40-7)
Listed on the Canadian DSL (Domestic Substances List)
METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Alcohol (64-17-5)		
U.S Pennsylvania - RTK (Right to Know) List		
HEXYLENE GLYCOL (107-41-5)		

SECTION 16: Other information	
Revision date	: 10/01/2019
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Indication of changes:

Section	Changed item	Change	Comments
	Precautionary statements (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
	Revision date	Added	
2.1	GHS-US classification	Modified	

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Commercial Products

SeBreeze 9000 SPRING GARDEN

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/25/2015 Revision date: 10/01/2019 Version: 2.0

SECTION 1: Identification Identification 1.1. : SeBreeze 9000 SPRING GARDEN Product name Product code : 1788364 SKU # FG5158000000 · 1.2. Recommended use and restrictions on use Use of the substance/mixture : Aerosol For professional use only Air care products Odour agents Recommended use : Air care products,Odour agents Professional uses: Public domain (administration, education, entertainment, services, Restrictions on use craftsmen) **Supplier** 1.3.

~ . .

Manufacturer

Manufacturer		Other
Rubbermaid Commercial Products LLC		Rubbermaid Commercial Products LLC
3124 Valley Avenue		20 Hereford Street
Winchester, VA 22601-2694 - USA		Brampton, ON L6Y 0M1 - Canada
T 1.800.347.9800		T 1.800.998.7004
www.rubbermaidcommercial.com		
1.4. Emergency telephone number		
	04.11.5	

Emergency number

: 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

SECTION 2: Hazard(s)) identification	
2.1. Classification of t	he substance or mixture	
GHS-US classification		
Flammable aerosols, Category 1	H222	Extremely flammable aerosol.
Gases under pressure : Compressed gas	H280	Contains gas under pressure; may explode if heated.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Skin sensitisation, Category	H317	May cause an allergic skin reaction.
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)



Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)

: Danger

- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing vapours, spray, mist.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P363 - Wash contaminated clothing before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	20 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
BENZYL ALCOHOL	(CAS-No.) 100-51-6	1 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 – 1	Skin Sens. 1, H317
EUGENOL	(CAS-No.) 97-53-0	0.1 – 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
AMYL CINNAMAL	(CAS-No.) 122-40-7	0.1 – 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
ACETYL CEDRENE	(CAS-No.) 32388-55-9	0.1 – 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PINENES	(CAS-No.) 127-91-3	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	 Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
06/17/2020	EN (English) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effect	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Immediate medical attention and spe	ecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	· ·
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the ch	
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Special protective equipment and pr	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove
	ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.
Precautions for safe handling	: No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includin	
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

3.1. Control para	meters	
EUGENOL (97-53-0)		
DNEL	DNEL	36 mg/m ³
BENZYL SALICYLAT	E (118-58-1)	
Not applicable		
	nethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)	
Not applicable		
BENZYL ALCOHOL (
DNEL	DNEL	90 mg/m³
Alcohol (64-17-5)		
DNEL	DNEL	950 mg/m ³
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2019
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
HEXYLENE GLYCOL	(107-41-5)	
DNEL	DNEL	14 mg/m ³
ACGIH	Local name	Hexylene glycol
ACGIH	ACGIH TWA (ppm)	25 ppm (V - Vapor fraction)
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)
ACGIH	ACGIH STEL (ppm)	50 ppm (V - Vapor fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr
ACGIH	Regulatory reference	ACGIH 2019
AMYL CINNAMAL (12	22-40-7)	
Not applicable		
PINENES (127-91-3)		
Not applicable		
ACETYL CEDRENE (32388-55-9)	
Not applicable		

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Appearance	: clear. Transparent.
	: colourless to slightly yellow
	: characteristic
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: 4.5 – 5.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: 1.8 – 19 vol %
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	

9.2. Other Information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Symptoms/effects after eye contact

Acute toxicity

: Not classified

BENZYL ALCOHOL (100-51-6)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	660 mg/kg
LC50 inhalation rat (mg/l)	4.2 mg/l/4h
ATE US (oral)	500 mg/kg bodyweight
ATE US (dermal)	660 mg/kg bodyweight
ATE US (vapours)	4.2 mg/l/4h
ATE US (dust,mist)	4.2 mg/l/4h
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight

ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
EUGENOL (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation Symptoms/effects after skin contact	Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.Causes skin irritation.

SECTION 12: Ecological informa	ation	
12.1. Toxicity		
EUGENOL (97-53-0)		
LC50 fish 1	5.6 mg/l	
EC50 other aquatic organisms 1	1.9 mg/l waterflea	
06/17/2020	EN (English)	6/10

: Causes serious eye irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUGENOL (97-53-0)	
EC50 other aquatic organisms 2	15.4 mg/l
BENZYL ALCOHOL (100-51-6)	
LC50 fish 1	460 mg/l
EC50 Daphnia 1	230 mg/l
EC50 other aquatic organisms 1	230 mg/l waterflea
EC50 other aquatic organisms 2	500 mg/l
Alcohol (64-17-5)	
LC50 fish 1	13000 mg/l
EC50 Daphnia 1	9300 mg/l
EC50 other aquatic organisms 1	5012 mg/l waterflea
EC50 other aquatic organisms 2	275 mg/l
HEXYLENE GLYCOL (107-41-5)	
LC50 fish 1	8690 mg/l
EC50 other aquatic organisms 1	5410 mg/l waterflea
EC50 other aquatic organisms 2	> 429 mg/l
AMYL CINNAMAL (122-40-7)	
LC50 fish 1	3 mg/l
EC50 other aquatic organisms 1	1.1 mg/l waterflea
EC50 other aquatic organisms 2	1.89 mg/l
SeBreeze 9000 SPRING GARDEN Persistence and degradability	Not established.
· · · · · · · · · · · · · · · · · · ·	
Alcohol (64-17-5)	
Persistence and degradability	N Le constate Parte a d
5 ,	Not established.
<u> </u>	Not established.
	Not established.
2.3. Bioaccumulative potential	Not established.
	Not established.
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN	
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0)	
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0) Partition coefficient n-octanol/water (Log Pow)	Not established.
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0) Partition coefficient n-octanol/water (Log Pow) BENZYL ALCOHOL (100-51-6)	Not established.
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0) Partition coefficient n-octanol/water (Log Pow) BENZYL ALCOHOL (100-51-6) Partition coefficient n-octanol/water (Log Pow)	Not established.
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0) Partition coefficient n-octanol/water (Log Pow) BENZYL ALCOHOL (100-51-6) Partition coefficient n-octanol/water (Log Pow) Alcohol (64-17-5)	Not established.
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential	Not established. 2.27 1.05
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0) Partition coefficient n-octanol/water (Log Pow) BENZYL ALCOHOL (100-51-6) Partition coefficient n-octanol/water (Log Pow) Alcohol (64-17-5) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential	Not established. 2.27 1.05 -0.32
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0) Partition coefficient n-octanol/water (Log Pow) BENZYL ALCOHOL (100-51-6) Partition coefficient n-octanol/water (Log Pow) Alcohol (64-17-5) Partition coefficient n-octanol/water (Log Pow)	Not established. 2.27 1.05 -0.32
2.3. Bioaccumulative potential SeBreeze 9000 SPRING GARDEN Bioaccumulative potential EUGENOL (97-53-0) Partition coefficient n-octanol/water (Log Pow) BENZYL ALCOHOL (100-51-6) Partition coefficient n-octanol/water (Log Pow) Alcohol (64-17-5) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential HEXYLENE GLYCOL (107-41-5)	Not established. 2.27 1.05 -0.32 Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the ozone layer

: None to our knowledge

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information	: Avoid release to the environment.
SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	

Department of Transportation (DOT) In accordance with DOT	
Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Hazard labels (DOT)	 : UN1950 Aerosols, 2.1 : UN1950 : Aerosols : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 : 2.1 - Flammable gas
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location DOT Vessel Stowage Other Other information Transportation of Dangerous Goods	 A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials No supplementary information available.
Not applicable Transport by sea Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Limited quantities (IMDG)	: 1950 : AEROSOLS : 2 - Gases : SP277
Air transport Transport document description (IATA) UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA)	 : UN 1950 Aerosols, flammable, 2.1 : 1950 : Aerosols, flammable : 2

22/17/2222		0/10
15.1. US Federal regulations		
SECTION 15: Regulatory information		
	2	
Class (IATA) :	2	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUGENOL (97-53-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL ALCOHOL (100-51-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Alcohol (64-17-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYLENE GLYCOL (107-41-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
AMYL CINNAMAL (122-40-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
PINENES (127-91-3)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
ACETYL CEDRENE (32388-55-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations
CANADA
EUGENOL (97-53-0)
Listed on the Canadian DSL (Domestic Substances List)
BENZYL SALICYLATE (118-58-1)
Listed on the Canadian DSL (Domestic Substances List)
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Listed on the Canadian DSL (Domestic Substances List)
BENZYL ALCOHOL (100-51-6)
Listed on the Canadian DSL (Domestic Substances List)
Alcohol (64-17-5)
Listed on the Canadian DSL (Domestic Substances List)
HEXYLENE GLYCOL (107-41-5)
Listed on the Canadian DSL (Domestic Substances List)
AMYL CINNAMAL (122-40-7)
Listed on the Canadian DSL (Domestic Substances List)
PINENES (127-91-3)
Listed on the Canadian DSL (Domestic Substances List)
ACETYL CEDRENE (32388-55-9)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

Alcohol (64-17-5)	
Listed on IARC (International Agency for Research on Cancer)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

BENZYL ALCOHOL (100-51-6)

U.S. - Pennsylvania - RTK (Right to Know) List

Alcohol (64-17-5)

U.S. - Pennsylvania - RTK (Right to Know) List

HEXYLENE GLYCOL (107-41-5)

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date

Other information

: 10/01/2019

÷

REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H280	Contains gas under pressure; may explode if heated.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		

Indication of changes:

Section	Changed item	Change	Comments
	Precautionary statements (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
	Revision date	Added	
2.1	GHS-US classification	Modified	

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.