

BULK COLLECTION SOLUTIONS

HEAVY-DUTY PERFORMANCE

+1-7

WFESS

2

÷

テナテ

acia:

90

11728

blermaid BRUTE

0

Ster.

10

Our Tilt Trucks are manufactured with state-of-the-art materials that make the collection, movement, and disposal of waste efficient in any facility.

0

0-0

F

1-



BEST-IN-CLASS DURABILITY

Our products are made with high-quality resin and a state-of-the-art manufacturing process to provide industrial-strength tilt trucks for transporting heavy loads.

IMPROVED PRODUCTIVITY

Tilt trucks are designed to fit through commercial doorways and elevators during refuse collection, increasing productivity and reducing trips to the dumpster during waste collection.

PURPOSE-BUILT ERGONOMICS

The average cost of a work-related injury is \$38,000*, making ergonomically-designed equipment critical to improve safety and worker productivity. Forkliftable and trainable tilt trucks are available to reduce worker strain and effort.

SAVE TIME

Substituting manual power for battery power helps regain time lost over the course of a shift, due to cumulative fatigue.



STRUCTURAL FOAM

A low pressure form of injection molding injects gas and resin into a mold, creating a foamed core. This mixture yields products that are **rigid and strong**.

1 IDEAL USE

Recommended for back-of-the-house spaces such as manufacturing plants, property management, hospitality, and construction.

2 INDUSTRIAL STRENGTH

Built to transport heavy loads, up to 2,100 lb.

Imaintenance-free design

The frameless design and non-porous material help to prevent dirt and debris from getting stuck in the corners.

O PURPOSE-BUILT EFFICIENCY

Molded-in-handle on the bottom of the tilt truck increases ease of dumping heavy waste.



ROTATIONAL MOLDING

Manufacturing that continuously **rotates resin throughout a heated, hollow mold** frame. This process has the ability to create **large, robust products** with a sustainable manufacturing process.

BRUTE

1 IDEAL USE

Recommended for front-of-house spaces such as airport terminals, concert venues, and convention centers.

2 INDUSTRIAL STRENGTH

Built to transport heavy loads up to 2,300 lb.

B SMOOTH SURFACES

Are easy-to-clean and disinfectant safe.

4 FLEXIBLE, YET STRONG

The flexible resin material does not crack or break when heavy materials are dropped into truck.



GEN 800

GEN 800

GEN 800

STRUCTURAL FOAM TILT TRUCKS

FEATURES & BENEFITS

- Industrial Strength Construction to transport heavy loads of up to 2100 lb.
- **Ergonomic "Steering Wheel" Design Handle** for better handling and steering.
- **Frameless Design**, thick-walled body ensuring dirt, debris doesn't get caught in crevices.
- **Compact Design** fits through standard commercial doorways and onto elevators easily.
- **Inset Wheels** protect surrounding walls, doors, and fixtures from damage.



1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	РАСК
FG9T1300	BLA	STRUCTURAL FOAM TILT TRUCK, UTILITY-DUTY	57.38" L \times 26.88" W \times 33.88" H	450 LB	1
FG9T1400	BLA	STRUCTURAL FOAM TILT TRUCK, STANDARD-DUTY	57.38" L \times 26.88" W \times 33.88" H	850 LB	1

3/4 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG101100	BLA	STRUCTURAL FOAM TILT TRUCK, UTILITY-DUTY	64.5" L $ imes$ 30.25" W $ imes$ 38" H	600 LB	1
FG101300	BLA	STRUCTURAL FOAM TILT TRUCK, STANDARD-DUTY	64.5" L \times 30.25" W \times 38" H	1,000 LB	1

1 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	РАСК
FG9T1500	BLA	STRUCTURAL FOAM TILT TRUCK, STANDARD-DUTY	70.75" L \times 33.5" W \times 42.25" H	1,250 LB	1
FG9T1600	BLA	STRUCTURAL FOAM TILT TRUCK, HEAVY-DUTY	70.75" L \times 33.5" W \times 42.25" H	2,100 LB	1



ROTOMOLDED TILT TRUCKS

FEATURES & BENEFITS

- **Durable** rotational molded trucks handle loads from 300 lb–2300 lb with ease.
- **Easy-to-Move** design with swivel casters and fixed inset wheels for smooth handling of materials.
- Corrosion Resistant steel, powder-coated frame.
- **Inset Wheels** protect surrounding walls, doors, and fixtures from damage.



1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG130400	BLA	TILT TRUCK, UTILITY-DUTY	56.8" L \times 28.0" W \times 38.6" H	450 LB	1
FG130500	BLA	BRUTE TILT TRUCK, STANDARD-DUTY	$60.5"~\text{L} \times 28.0"~\text{W} \times 38.6"~\text{H}$	850 LB	1
2192466	GRAY	BRUTE TILT TRUCK, STANDARD-DUTY	$60.5"~\text{L} \times 28.0"~\text{W} \times 38.6"~\text{H}$	850 LB	1
FG130573	BLUE	BRUTE RECYCLING TILT TRUCK, STANDARD-DUTY	60.5" L \times 28.0" W \times 38.6" H	850 LB	1
FG130600	BLA	BRUTE TILT TRUCK, HEAVY-DUTY	$60.5"~L\times28.0"~W\times38.6"~H$	1,400 LB	1
2192465	GRAY	BRUTE TILT TRUCK, HEAVY-DUTY PLUS	$60.5"~\text{L} \times 28.0"~\text{W} \times 38.6"~\text{H}$	1,400 LB	1

1 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG131400	BLA	TILT TRUCK, UTILITY-DUTY	72.3" L \times 33.5" W \times 43.8" H	850 LB	1
FG131500	RED, BLA	BRUTE TILT TRUCK, STANDARD-DUTY	72.3" L \times 33.5" W \times 43.8" H	1,250 LB	1
2192462	GRAY	BRUTE TILT TRUCK, STANDARD-DUTY	72.3" L \times 33.5" W \times 43.8" H	1,250 LB	1
2089826	BLUE	BRUTE RECYCLING TILT TRUCK, STANDARD-DUTY	72.3" L \times 33.5" W \times 43.8" H	1,250 LB	1
FG131600	BLA	BRUTE TILT TRUCK, HEAVY-DUTY	72.3" L \times 33.5" W \times 43.8" H	2,100 LB	1
2192467	GRAY	BRUTE TILT TRUCK, HEAVY-DUTY PLUS	72.3" L \times 33.5" W \times 43.8" H	2,100 LB	1

1-1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG102500	BLA	BRUTE TILT TRUCK, STANDARD-DUTY	80.5" L \times 43" W \times 49.5" H	1,200 LB	1
2 CUBIC YA	RD TILT TRU	CKS			
NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
NO. FG103600	COLOR BLA	DESCRIPTION BRUTE TILT TRUCK, HEAVY-DUTY	DIMENSIONS 81.25" L × 46.75" W × 50" H	CAPACITY 2,300 LB	PACK

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	РАСК
FG104600	BLA	BRUTE TILT TRUCK, HEAVY-DUTY	81.5" L \times 55.5" W \times 50" H	2,300 LB	1





MOTORIZED TILT TRUCK SOLUTIONS

FEATURES & BENEFITS

- Reduce Strain: Battery powered kit virtually eliminates the need for manual force, reducing strain experienced by users when pushing heavy loads up to 1,000 lb.
- **Save Time:** Substituting manual power for battery power helps regain time lost over the course of a shift due to cumulative fatique.
- **Decrease Downtime:** Dual onboard battery compartments provide back-up power without having to plug in the entire truck, minimizing costly workflow disruptions due to battery switch outs.



MOTORIZED TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	РАСК
2173519	BLA	MOTORIZED ROTO TILT TRUCK 1/2 CUBIC YARD	62.8" L \times 28.0" W \times 36.8" H	850 LB	1
2173662	BLA	MOTORIZED ROTO TILT TRUCK 1 CUBIC YARD	78.3" L \times 33.5" W \times 43.8" H	1,000 LB	1

PROPWR[™] ACCESSORIES

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
2173664	BLA	MOTORIZED KIT UNIVERSAL PROPWR BATTERY	6.8" L $ imes$ 4.8" W $ imes$ 3.5" H	N/A	1
2173520	BLA	MOTORIZED KIT PROPWR CHARGER	6.3" L $ imes$ 7.3" W $ imes$ 2.3" H	N/A	1



9

SPECIALTY ROTOMOLDED TILT TRUCKS

Heavy-duty tow bar, hitch, and forkliftable pockets allow trucks to be easily transported. These capabilities increase efficiency and decrease physical effort when moving loaded trucks.



Heavy-duty tow bar, hitch, and frame for multiple truck towing and training, up to 5 MPH.



Forkliftable model fully compatible with forklifts and automated lifters.

1 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG131641	BLA	TOWABLE TRAINABLE TILT TRUCK, HEAVY-DUTY (RM)	72.5" L \times 33.5" W \times 42.25" H	2,100 LB	1
FG131542	BLA	FORKLIFTABLE TILT TRUCK, STANDARD-DUTY (RM)	72.25" L \times 33.5" W \times 43.75" H	1,250 LB	1





FG130542BLA





SELF-DUMPING HOPPERS

The Self-Dumping Hopper is designed to minimize fatigue and to help protect staff from over-exertion injuries.



Safely tilts a full 30 degrees below horizontal to ensure complete dumping.



Pull-release safety latch prohibits premature dumping.

1/2 CUBIC YARD HOPPER

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	РАСК
FG105443	BLA	SELF-DUMPING HOPPER WITH FOUR 6" DIA (15.2 CM) POLYOLEFIN CASTERS	55" L \times 26.25" W \times 47.63" H	750 LB	1

1 CUBIC YARD HOPPER

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG105943	BLA	SELF-DUMPING HOPPER WITH FOUR 6" DIA (15.2 CM) POLYOLEFIN CASTERS	71.5" L \times 31.25" W \times 52.5" H	1,000 LB	1





FG105443



REPLACEMENT PARTS

Selecting the proper wheel or caster ensures maximum productivity, minimizes long-term costs, and provides the greatest return on investment.

Structural Foam and Rotomolded Tilt Truck wheels and casters are available and fulfilled by SpecialMade Goods and Services[®]. Learn more at **https**://**specialmade.com**

CASTERS

- Swivel caster wheel rotates 360 degrees, so it's ideal for moving heavy warehouse loads.
- Rigid casters move forward or backward without swiveling.

WHEELS

- Tilt trucks 12" wheels come in light, utility, standard, and heavy duty to transport different sized loads.
- Traditional wheels have a maintenance-free rubber tire and plastic hubs.
- Pneumatic wheels have a tire that requires 42 PSI air pressure and maintenance.





ACCESSORIES

LIDS

- Domed, hinged lid conceals loads for safe transport, while boosting truck capacity by 15%*.
- Built-in storage and workspace minimizes downtime while providing a convenient task space.

CART CADDY

- Ergonomic handle supports day-today tasks and features a removable caddy for dumping.
- Two integrated stick good holders provide easy tool access, plus there is a built-in trash bag dispenser.

BAGS

- Retrofits to any RCP Tilt Truck in minutes for hassle-free installation.
- Tilt Truck Bag Accessory features a built-in bag dispenser, mesh pockets for wet cloths, plus a variety of additional pockets.







TILT TRUCK LIDS (ROTOMOLDED)

NO.	COLOR	DESCRIPTION	DIMENSIONS	PACK
FG102700	BLA	LID FOR 1-1/2 CUBIC YARD RM TILT TRUCKS	82.88" L $ imes$ 44.5" W $ imes$ 3" H	1
2221456	BLA	LID FOR 1/2 CUBIC YARD RM BRUTE TILT TRUCKS	57.1" L $ imes$ 28.85" W $ imes$ 9.7" H	1
2221457	BLA	LID FOR 1 CUBIC YARD RM BRUTE TILT TRUCKS	70.7" L $ imes$ 35.01" W $ imes$ 9.5" H	1

TILT TRUCK LIDS (STRUCTURAL FOAM)

NO.	COLOR	DESCRIPTION	DIMENSIONS	PACK
FG9T2200	BLA	LID FOR 1/2 CUBIC YARD SF TILT TRUCKS	52" L $ imes$ 27.88" W $ imes$ 9" H	1
FG102800	BLA	LID FOR 3/4 CUBIC YARD SF TILT TRUCKS	61" L $ imes$ 31.75" W $ imes$ 8.75" H	1
FG9T2300	BLA	LID FOR 1 CUBIC YARD SF TILT TRUCKS	66.88" L $ imes$ 34.5" W $ imes$ 9" H	1

TILT TRUCK ORGANIZATION ACCESSORIES

NO.	COLOR	DESCRIPTION	DIMENSIONS	PACK
2221458	BLA	UNIVERSAL TILT TRUCK BAG ORGANIZER	28.5" L \times 19.8" W \times 5.3" H	6
2229066	RED	ERGO TILT TRUCK HANDLE AND CADDY	12.82" L $ imes$ 25.45" W $ imes$ 15" H	1
2221459	BLACK	ERGO TILT TRUCK HANDLE AND CADDY	12.82" L $ imes$ 25.45" W $ imes$ 15" H	1





RCP1632 © 2025 Rubbermaid Commercial Products LLC | 8900 NorthPointe Executive Park Drive, Huntersville, NC 28078 See the Rubbermaid® Commercial Products catalog or rubbermaidcommercial.com for more information.